



123 Ottawa Street South, Kitchener

"HELPING K-W FINISH FIRST SINCE 1995!"

WWW.MARKENPERFORMANCE.COM 519-893-4383

A blue and black Chevrolet SS drag car is shown in motion on a drag strip. The car is in the foreground, angled towards the right. In the background, a red car is also in motion, slightly out of focus. The scene is set on a drag strip with a blurred background suggesting speed.

Big DEALS JANUARY FEBRUARY 2022

UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aeromotive.....	3	Dee Zee.....	6	Isky Cams.....	10	Right Stuff Detailing.....	13
Afco Racing Products.....	3	Del West.....	6	JAZ.....	11	Royal Purple.....	14
Afe Power.....	3	Demon Carburetion.....	6	Je Pistons.....	11	Saldana.....	14
Allstar Performance.....	3,4	Derafe.....	6	Longacre.....	11	Scat Enterprises.....	14
Altronics Inc.....	4	Eagle.....	7	Lucas Oil.....	11	Stoptech.....	14
AMPResearch.....	4	Edelbrock.....	7	Magnaflow Performance.....	11	T And D Machine.....	14
ARP.....	4	Eneos.....	7,8	Manley.....	11	Ti22 Performance.....	14
ATI Performance.....	4	Extang.....	8	March Performance.....	11	Tiger Quick Change.....	14
Baer Brakes.....	5	Fast Electronics.....	8	Maxima Racing Oils.....	11	Trans-Dapt.....	14
Bassett.....	5	Fel-Pro.....	8	Moroso.....	11	Trend Performance Products.....	14
BBK Performance.....	5	Fivestar.....	8	MPI USA.....	11	Triple X Race Components.....	14
Bell Tech.....	5	Flaming River.....	8	MSD Ignition.....	11	Truxedo.....	14
Bestop.....	5	Flotek.....	8	NGK.....	12	Valvoline.....	15
Beyea Custom Headers.....	5	Flowmaster.....	9	Pac Racing Springs.....	12	Weld Racing.....	15,16
Billet Specialties.....	5	Ford.....	9	Pacer Performance.....	12	Wilwood.....	16
Bilstein.....	5	Fragola.....	9	Proform.....	12	Wizard Products.....	16
Bowler Performance.....	5	Fram.....	9	PRW Industries, Inc.....	12	Woodward Fab.....	16
Brodix.....	5	Gibson Exhaust.....	9,10	Pypes Performance Exhaust.....	13	Yukon Gear And Axle.....	16
Chevrolet Performance.....	6	Gorilla.....	10	Quick Fuel Technology.....	13	Yella Terra.....	16
Cometic Gaskets.....	6	Grant.....	10	Ram Clutch.....	13		
Comp Cams.....	6	Hellwig.....	10	Redline Oil.....	13		
Covercraft.....	6	Holley.....	10	Reese.....	13		
Crower.....	6	Hooker.....	10	Ridetech.....	13		

NEW PRODUCTS INDEX

Please Note: Some items not legal for sale or use on pollution-controlled vehicles • Not responsible for typographical errors • All prices are listed in U.S. dollars.

BLACK - NEW VENDORS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Air Lift.....	33	DRP Performance Products.....	39	Kirkey Racing Fabrication.....	42	Racequip.....	43
AIM Sports.....	27	Edelbrock.....	33	Lecarra.....	20	Red Line Oil.....	40
Akebono Brake Corp.....	34-37	Eibach.....	17	Leed Brakes.....	19	Richmond.....	24
Allstar Performance.....	47	FAST.....	26	Longacre.....	45	Right Stuff Detailing.....	25
Argo Manufacturing Co.....	25	Five Star Race Car Bodies.....	41	MBRP.....	19	Rigid Industries.....	24
ATL Racing Fuel Cells.....	40	Flatliner Barriers.....	18	Melling.....	26	Rough Country.....	23
Bedrug.....	27	Flo-Fast.....	31	MOMO.....	20	Roush Performance Products.....	26
Borla.....	17	Flowmaster.....	19	Moroso.....	30	TCI Automotive.....	31
BSB Manufacturing.....	40	Fluidlogic.....	46	MSD.....	32	Ti22 Performance.....	23
Bushwacker.....	33	G-Force Racing Gear.....	28	NOCO.....	28	Strange Oval.....	43
Cold Case Radiators.....	31	Griffin Radiator.....	39	Oracle.....	21-23	Stroud.....	43
Comp Cams.....	33	Holley.....	32	Pacer Performance.....	19	Wehrs Machine.....	45
D.U.I. Performance Distributors.....	17	Howe.....	44	Pypes.....	24		
Dart.....	28	Hypercoils.....	43	QA1.....	42		
Deatschwerks.....	27	ICT Billet.....	19	Quartermaster.....	43		
Dominator Race Products.....	38-39	Impact.....	44	Out-Pace Racing Products.....	44		

NEW VENDORS

akebono
BRAKE EXPERTS

Page 34-37















FLATLINE
BARRIERS

Page 18

FLUID
LOGIC

Page 46

Description	Photo	Part No.	Price
AEROMOTIVE			
Terminator 21.5 GPM Mechanical Fuel Pump Hex-driven mechanical fuel pump flows 21.5 gpm. In-line unit has 4-bolt flange inlet/outlet. Black anodized aluminum. Each.		AFS11132	
15-Gallon Aluminum Fuel Cell w/ Brushless Eliminator Pump Fuel cell with brushless Eliminator pump. 20" x 18" x 10" tall cell holds 15 gallons. Features -10AN O-ring outlet, -8AN return, -8AN vents. Natural aluminum. For use with E85/gas. Universal. Each.		AFS18362	
20-Gallon Aluminum Fuel Cell w/ Brushless Eliminator Pump Fuel cell with brushless Eliminator pump. 20" x 24" x 10" tall cell holds 15 gallons. Features -10AN O-ring outlet, -8AN return, -8AN vents. Natural aluminum. For use with E85/gas. Universal. Each.		AFS18363	
AFCO RACING PRODUCTS			
GM Dual-Pass Radiator 20" x 27.5" Dual-pass radiator measures 27-1/2"W x 20"H x 3"D, with passenger side inlet and passenger side outlet. Natural aluminum. Each.		AFC80101NDP	
AFE POWER			
MACH Force XP Cat-Back Stainless Steel Exhaust MACH Force XP cat-back exhaust system features 2-1/2" pipe with 3-1/2" polished tips. 304 stainless. For 2007-15 Mini Cooper.		AFE49-36318	
Performance Air Intake System for 2012-14 Ford w/ F150 3.5L EcoBoost Magnum Force Pro Dry Stage 2 air induction system includes reusable dry filter. For 2012-14 Ford F150 with 3.5L EcoBoost engine. Kit.		AFE51-12192	
Performance Air Intake System for 2012-14 Ford w/ F150 3.5L EcoBoost Magnum Force Pro 5R Stage 2 air induction system includes reusable filter. For 2012-14 Ford F150 with 3.5L EcoBoost engine. Kit.		AFE54-12192	
ALLSTAR PERFORMANCE			
Roll Bar Accessory Clamp Clamp-on roll bar accessory clamp fits 1-1/2" O.D. tube. Must be drilled and tapped for accessory mounting. Natural aluminum. Set of 10.		ALL10453-10	
Titanium Hex-Head Bolts, Coarse Thread 5/8"-11 thread x 1.750" long hex-head bolt. Natural titanium. Universal. Each.		ALL17315	
Titanium Hex-Head Bolts, Coarse Thread 5/8"-11 thread x 2.000" long hex-head bolt. Natural titanium. Universal. Each.		ALL17316	
Titanium Hex Head Bolts, Coarse Thread 5/8"-11 thread x 2.250" long hex-head bolt. Natural titanium. Universal. Each.		ALL17317	
Titanium Hex-Head Bolts, Coarse Thread 5/8"-11 thread x 2.500" long hex-head bolt. Natural titanium. Universal. Each.		ALL17318	
Titanium Hex-Head Bolts, Fine Thread 7/16"-20 thread x 6.000" long hex-head bolt. Natural titanium. Universal. Each.		ALL17476	
Titanium Hex-Head Bolts, Fine Thread 5/8"-20 thread x 2.750" long hex-head bolt. Natural titanium. Universal. Each.		ALL17519	
3/16" Multi-Grip Rivets 1/2" head with 3/16" aluminum mandrel and 1/16"-5/8" grip range. Natural aluminum. Box of 250.		ALL18074	

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
3/16" Small-Head Colored Rivets, Orange 3/8" head with 3/16" mandrel. 1/4"-3/8" grip range. Aluminum. Box of 250.		ALL18137	
3/16" Small-Head Colored Rivets, Yellow 3/8" head with 3/16" mandrel. 1/4"-3/8" grip range. Aluminum. Box of 250.		ALL18139	
Brake Hose, 40" Long -3AN brake hose with -3AN straight female and -3AN 90° female ends. Braided stainless steel with black vinyl coating. PTFE lined. Each.		ALL48434-40	
Aluminum AN to NPT Adapter 45° adapter with -6AN male to 1/8" NPT male ends. Black anodized aluminum. Each.		ALL49538	
Aluminum AN to NPT Adapter 45° adapter with -12AN male to 3/4" NPT male ends. Black anodized aluminum. Each.		ALL49551	
Aluminum 90° Swivel to Male NPT 90° adapter with -8AN male to 3/8" NPT male swivel end. Black anodized aluminum. Each.		ALL49592	
Aluminum AN Bulkhead Tee Bulkhead tee has -8AN male x -8AN male x -8AN male bulkhead. Black anodized aluminum. Each.		ALL49633	
90° Union 90° union with -12AN male to -12AN male ends. Black anodized aluminum. Each.		ALL49725	
Male Reducer Straight -12AN male to -8AN male reducer. Black anodized aluminum. Each.		ALL49737	
NPT Adapter 3/4" NPT male to 1/4" NPT female adapter. Black anodized aluminum. Each.		ALL49776	
NPT Adapter 3/4" NPT male to 3/8" NPT female adapter. Black anodized aluminum. Each.		ALL49777	
Bolt-On Bracket Bolt-on bracket holds a battery quick disconnect or electrical plug. Natural steel finish. Each.		ALL60352	
ALTRONICS INC			
PerformAire Weather Center w/ Paging & O2 Sensor PerformAire digital weather station includes wind and O2 sensor. Each.		ALTPAPRO-PGSYS02	
AMP RESEARCH			
Bumper Step 2006-14 Ford F150 BedStep bumper-mounted step provides easy access to the truck bed, then folds out of the way. Black plastic. For 2003-13 Ford full-size truck. Kit.		AMP75302-01A	
ARP			
Wheel Stud Kit - Lexus IS300 (5) Wheel studs, 12 mm x 1.50 thread x 2.600" long with a 0.558" knurl. Cadmium-plated chromoly. For Lexus IS 300. Package of 5.		ARP100-7715	
ATI PERFORMANCE			
Ford GT500 Harmonic Damper - SFI 7.81 Super Damper Serpentine series internal balance harmonic balancer. 7.800" O.D., SFI 18.1 approved. Black-painted aluminum. For Ford Modular. Each.		ATI918049	








Description	Photo	Part No.	Price
BAER BRAKES			
Complete Front Brake System SS4 Plus front brake system, includes 4-piston aluminum calipers, 11.000" drilled/slotted 2-piece rotors. Red. For GM A-body/F-body/X-body. Kit.		BAE4301432R	
BASSETT			
15" x 10" Wide 5 Black Spun Wheel Armor Edge 15" x 10" steel wheel with Wide 5 bolt pattern and 6.000" backspace. Black powder-coated finish. Each.		BAS50SR6	
BBK PERFORMANCE			
85mm Throttle Body for 2010-14 Ford F150 Truck w/ 6.2L Modular Power Plus 85mm single blade throttle body with stock flange. Natural aluminum. For 2010-14 Ford F150 with 6.2 Modular engine. Each.		BBK1823	
BELL TECH			
Performance Handling Kit Plus 2009-17 Dodge Truck Performance Handling Kit Plus suspension kit includes brackets, bushings, coil-over system, shocks, and sway bar. For 2009-17 Dodge full-size truck.		BLL963HKP	
BESTOP			
Trektop NX Plus Complete Soft Top Black Diamond Trektop NX Plus soft top features tinted windows and black diamond fabric. Includes brackets, hardware, frame, top, and windows. For 2007-17 2-door Jeep Wrangler JK. Kit.		BES56852-35	
BEYEA CUSTOM HEADERS			
Tri-Y Headers for Dirt Late Model with SBC 23° Tri-Y headers for Dirt Late Model with 1-3/4" to 2" primary and 3-1/2" collector. Black painted steel. For Small Block Chevy with 23° head. Kit.		BEYDLMTY-23T2	
BILLET SPECIALTIES			
Street Lite Black 15" x 10" Wheel with 3.5" Backspace 15" x 10" Street Lite wheel with 3.500" backspace and 5 x 4.75" bolt pattern. Black anodized/polished billet aluminum. Each.		BSPBRS035106135N	
Comp 5 1-Piece 15" X 3.5" Wheel 15" x 3.5" Comp 5 wheel with 1.750" backspace and Strange spindle mount. SFI 15.2 certified. Black anodized aluminum. Each.		BSPCSFB3535ST17	
LS Chevrolet Script Valve Covers—Black Smooth modular stock height valve covers hide the coils, wire harness, and oil filler cap. Black anodized billet aluminum with Chevrolet script logo and stainless hardware. For GM LS-series. Pair.		BSPPP95485	
BILSTEIN			
Shock - 5100 Series for 2007-13 Jeep Wrangler 5100 series monotube shock, Zinc-plated steel. For front of 2007-13 Jeep Wrangler JK with 1-1/2" to 3" lift. Each.		BIL24-146708	
Shock - 5100 Series for 2005-12 Ford Super Duty Truck 5100 series monotube shock. Zinc-plated steel. For rear of 2005-12 Ford Super Duty truck. Each.		BIL24-186025	
BOWLER PERFORMANCE TRANSMISSIONS			
Edelbrock Tru-Shift System Self-adjusting kickdown cable for use with Edelbrock carburetors and 200R4/700R4 transmissions. Kit.		BOWBPT-TS-E	
BRODIX			
GM LS Series 262cc Assembled Cylinder Heads BR 7 assembled aluminum cylinder heads with 2.204"/1.614" valves, 262 cc intake, 71 cc chamber, and 1.350" springs. For GM LS series. Pair.		BRO1171000	

Description	Photo	Part No.	Price
CHEVROLET PERFORMANCE			
LSX Cast Iron Block - Semi Finish 9.720" Deck Height LSX Bowtie bare engine block with 3.880" bore, 9.720" deck, 6-bolt main, and 1-piece seal. Iron. GM LS series. Each.		GMP19417354	
SBC Crate Engine Ram Jet 350 Ram Jet crate engine, 350 CI, 345 HP. Small Block Chevy. Kit.		GMP19417619	
COMETIC GASKETS			
MLX Head Gasket w/ 4.312" Bore for 2009-Up 6.7L Dodge Cummins MLX multi-layered stainless steel cylinder head gasket with 4.312" bore and 0.052" compression thickness. For 2009-up Dodge Cummins. Each.		CAGC5609-052	
COMP CAMS			
BBC Belt Drive System .400" Raised Cam Hi-Tech adjustable external camshaft belt drive Includes billet aluminum idler pulley. For raised camshaft. Big Block Chevy. Kit.		COM6300	
BBC Sportsman Roller Lifter Set .160" Offset Sportsman mechanical roller lifters are 0.842" O.D. with 0.160" offset. Includes link bar. For Big Block Chevy. Set of 16.		COM96996-16	
COVERCRAFT			
Windshield Shade for 2009-15 Dodge Truck Folding windshield sun shade. Cloth/plastic construction, silver and black. For 2009-15 Dodge full-size truck. Each.		COVUV11113SV	
CROWER			
Connecting Rod Bolt - 7/16" x 1.540" Connecting rod bolt measures 7/16" x 1.540" long with a 12-point head. Natural finished nickel-cobalt alloy. Each.		CRO90830-1	
Sportsman Rods for Ford 2.3L, 5.200" Sportsman forged steel I-beam connecting rods. 5.200" long, bushed, with 3/8" cap screws. For Ford 2300. Set of 4.		CROSP93231B-4	
DEE ZEE			
Truck Bed Mat Rubber, Black, 6 ft 6" Bed, GM Fullsize Truck 1988-2000, Each		DZZ86794	
DEL WEST			
Titanium Exhaust Valves Titanium exhaust valves feature a 1.625" head, 11/32" valve stem, and are 5.540" long. For Small Block Chevy. Set of 8.		DELEV1625-6T25-CRST-8	
DEMON CARBURETION			
625CFM Street Demon Carburetor Street Demon 4bbl. carburetor flows 625 CFM. Spread/square bore, electric choke, vacuum secondary, single inlet, black/burnished finish. Each.		DMN1901	
DERALE			
Power Steering Cooler Kit for 2007-18 Jeep JK Power steering fluid cooler includes a 10-1/4" x 3-1/4" x 3" heat sink with 1/2" NPT female inlet/outlet, -6AN male adapters, brackets, fittings, hardware, and hose. Black anodized aluminum. For 2007-18 Jeep Wrangler.		DER20565	

Description	Photo	Part No.	Price
EAGLE			
SBC Rotating Assembly 383 4.030" Bore Rotating assembly for 383 CID includes forged crank, forged pistons and 5.700" H-beam rods. 3.750" stroke, 4.030" bore. Small Block Chevy. Kit.		EAG12107030	
SBC Balanced Rotating Assembly 350 4.030" Bore Rotating assembly for 355 CID includes cast crank, hypereutectic pistons and 5.700" I-beam rods. 3.480" stroke, 4.030" bore. Small Block Chevy. Kit.		EAGB15402E030	
EDELBROCK			
Slingshot Intake Manifold for 38-48 Ford V8 Flathead Slingshot dual-plane intake manifold for two 2bbl. carbs. Satin aluminum finish. Fits 1938-48 Ford Flathead V8. Each.		EDE1103	
E-Force Supercharger Kit for 2015-17 Dodge 5.7L Hemi E-Force TVS supercharger system includes programmer. Black powder-coated finish. For 2015-17 Chrysler LA body with Gem III Hemi. Kit.		EDE1517	
BBC Victor II Intake Manifold - S/P 9.800 D/H Big Victor 2 spread-port single-plane intake manifold with a Dominator flange and rectangular ports. Natural aluminum. For Big Block Chevy. Each.		EDE28001	
SBC Super Victor 4500 Intake Manifold Super Victor 4500 intake manifold, Super Victor 4500 23 Degree, Dominator Flange, Single Plane, Aluminum, Natural, Small Block Chevy, Each		EDE2970	
GM 6.6L Duramax Complete Aluminum Cylinder Head Assembled aluminum cylinder head has 1.299"/1.220" valves, 230cc intake, Occ chamber, and 1.063" springs. For 2011-16 LML Duramax diesel Each.		EDE79119	
ENEOS			
Import CVT Model N Case 12 x 1 Qt Model N synthetic CVT transmission fluid for Nissan Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03057-301	
Import CVT Model H Case 12 x 1 Qt Model H synthetic CVT transmission fluid for Honda Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03072-301	
ECO ATF Case 12 x 1 Qt ECO ATF synthetic automatic transmission fluid. Case of 12x 1-quart bottles.		EN03103-301	
ECO ATF 6 Gallon Box ECO ATF synthetic automatic transmission fluid. 6-gallon box. Each.		EN03103-400	
Import ATF Model T Case 12 x 1 Qt Import Model T ATF synthetic automatic transmission fluid for Toyota. Case of 12x 1-quart bottles.		EN03104-301	
Import ATF Model H Case 12 x 1 Qt Import Model H ATF synthetic automatic transmission fluid for Honda. Case of 12x 1-quart bottles.		EN03105-301	
Import ATF Model N Case 12 x 1 Qt Import Model N ATF synthetic automatic transmission fluid for Nissan. Case of 12x 1-quart bottles.		EN03106-301	
Import ATF Model TW Case 12 x 1 Qt Import Model TW ATF synthetic automatic transmission fluid for Toyota Type WS. Case of 12x 1-quart bottles.		EN03107-301	
Import ATF Model SP Case 12 x 1 Qt Import Model SP ATF synthetic automatic transmission fluid for Hyundai/Kia. Case of 12x 1-quart bottles.		EN03108-301	

Description	Photo	Part No.	Price
ENEOS			
Full Synthetic Oil 5W20 Case 12 x 1 Qt Synthetic 5W20 motor oil. Case of 12x 1-quart bottles.		EN03241-301	
Full Synthetic Oil 0W16 Case 12 x 1 Qt Synthetic 0W16 motor oil. Case of 12x 1-quart bottles.		EN03251-301	
Racing Pro 10W50 Case 6 x 1 Qt Racing Pro synthetic 10W50 motor oil with ZDDP and Mo-DTC. Case of 6x 1-quart bottles.		EN03802-302	
EXTANG			
Solid Fold 2.0 Tonneau 2019-Up Ford Ranger 5-ft. Bed Solid Fold 2.0 tonneau cover with folding glass-filled nylon top. Permanent attachment. Black. Fits 2019-up Ford Ranger with 5-ft. bed. Kit.		EXT83636	
Solid Fold 2.0 Tonneau 2020-21 Jeep Gladiator Solid Fold 2.0 tonneau cover with folding glass-filled nylon top. Permanent attachment. Black. Fits 2020-Up Jeep Gladiator. Kit.		EXT83895	
Trifecta 2.0 Tonneau 2015-20 Ford F150 6.5ft Bed Trifecta 2.0 folding tonneau cover. Bed rail attachment with black vinyl top. Fits 2015-20 Ford full-size truck with 6 ft 7" bed. Kit.		EXT92480	
FAST ELECTRONICS			
Ignition Controller Kit GM EZ-LS EZ-LS ignition controller for coil-on-plug. Includes wiring harness. 24/58- tooth reluctor. For GM LS series. Kit.		FST301312E	
EFI Sportsman Throttle Body with Engine Control System XFI Sportsman throttle body fuel injection system with square bore, and 88 lb/hr injectors. Flows 1100 CFM. Universal. Kit.		FST303001	
EZ-EFI 2.0 Base Kit EZ-EFI 2.0 fuel injection base kit. With square-bore throttle body, 88 lb/hr injectors. 1200 CFM. Universal.		FST30400-KIT	
FEL-PRO			
SBF MLS Head Gasket 4.200" Bore 0.041" (10-pack) Cylinder head gasket. 4.200" bore and 0.041" compression thickness. Multi-layer steel. Small Block Ford. Pack of 10.		FEL1135B	
FIVESTAR			
2019 LM Ultraglass Front Greenhouse White Greenhouse roof front section. White fiberglass. 2019 Late Model. Each.		FIV11002-51313-W	
2019 LM Ultraglass Rear Greenhouse White Greenhouse roof rear section. White fiberglass. 2019 Late Model. Each.		FIV11002-51513-W	
FLAMING RIVER			
VDOG Variable Angle Steering Gear Box Variable angle manual steering box. 1 to 1 ratio. Natural billet aluminum. Universal. Each.		FLAFR20302	
FLOTEK			
BBC 375cc Jackal Series Assembled Aluminum Cylinder Head Jackal series assembled aluminum cylinder head with 2.350"/1.880" valves, 375cc intake, 127cc chamber, and 1.640" springs. Big Block Chevy. Each.		FTC375-5059	













Description	Photo	Part No.	Price
FLOWMASTER			
American Thunder Header-Back Exhaust System - 1970-73 Camaro V8 American Thunder header-back exhaust system with 2-1/2" tailpipe and 2-1/2" tips/ Aluminized steel. Fits 1970-74 GM F-body. Kit.		FL017149	
2016-21 Camaro Resonator Delete Kit 3" Resonator delete kit includes 3" diameter exhaust X-pipe. Natural stainless. Fits 2016-21 Chevy Camaro with GenV LT series and manual transmission.		FL081083	
Cat-Back Exhaust Kit - 2007-10 GM P/U 5.3L Force II cat-back exhaust system includes 2-1/2" tailpipe and 3" tips. Natural stainless. For 2007-13 GM full-size truck with 5.3L.		FL0817492	
2009-16 Ram 1500 5.7L Outlaw Exhaust Kit Outlaw muffler with 3" center inlet and dual 2-1/4" outlets. 11 x 4" oval body x 16-3/4" long. Black painted stainless. Universal. Each.		FL0817633	
Cat-Back Exhaust Kit 2015-20 Ford F150 2.7/3.5/5.0L American Thunder cat-back exhaust system with 2-1/2" tailpipe and 3-1/2" tips. Natural stainless. For Ford 2015-20 full-size truck.		FL0817725	
Cat-Back Exhaust Kit 2015-21 Challenger SRT 6.2/6.4L American Thunder cat-back exhaust system with 3" tailpipe and 3-1/2" tips. Black/natural stainless. For 2015-21 Mopar LC body.		FL0817739	
Axle Back Exhaust Kit - 2016-21 Camaro 6.2L American Thunder axle-back exhaust system with 3" tailpipe and 4" tips. Polished/natural stainless. For 2016-21 Chevy Camaro.		FL0817746	
FORD			
Cylinder Head Assembled 5.0/5.8L Windsor Z Z-Head assembled aluminum cylinder head with 2.020"/1.600" valves, 204 cc intake, 63 cc chamber, and beehive springs. For Small Block Ford. Each.		FRDM6049-Z304DA7	
FRAGOLA			
#12 Race-Rite Hose 15 Ft. -12AN Race-Rite braided hose features black fire-retardant fabric outer and PTFE lining. 15-ft roll. Each.		FRG2701512	
#10 Race-Rite Hose 20 Ft. -10AN Race-Rite braided hose features black fire-retardant fabric outer and PTFE lining. 20-ft roll. Each.		FRG2702010	
FRAM			
Ultra Oil Filter Ultra canister-style screw-on oil filter. 3.469" tall, with 20 mm x 1.50 thread. Black/gold painted steel. Fits various applications. Each.		FRAXG7317	
GIBSON EXHAUST			
Cat-Back Exhaust System for 2019-21 GM P/U 1500 5.3L Dual-split cat-back exhaust system with 3" tailpipe, dual outlet. Uses original tips. Natural stainless. For 2019-21 GM full-size trucks.		GIB65688	
Cat-Back Dual-Split Exhaust System Dual-split cat-back exhaust system with 2-1/2" tailpipe and 3" tips. Aluminized steel with polished tips. For 1998-2011 Ford/Mazda compact trucks.		GIB9508	
Polaris UTV Dual Exhaust—Black Ceramic Dual exhaust system. Black ceramic-coated stainless. For 2016-18 Polaris UTV.		GIB98026	
1996-2000 5.7L Stainless Header Shorty headers with 1-1/2" primary and stock collector flange. Natural stainless. For 1996-2000 GM full-size trucks with 5.7L. Kit.		GIBGP102S	

Description	Photo	Part No.	Price
GIBSON EXHAUST			
Performance Header—Ceramic-Coated Shorty headers with 1-5/8" primary and stock collector flange. Metallic ceramic-coated stainless. For 1999-2001 GM full-size trucks/SUVs with Small Block Chevy. Kit.		GIBGP115S-C	
Performance Header—Stainless Shorty headers with 1-1/2" primary and stock collector flange. Natural stainless. For 1999-2005 Ford full-size SUV/truck with 6.8L. Kit.		GIBGP125S-1	
Performance Header—Stainless Shorty headers, Shorty with 1-3/4" primary and stock collector flange. Silver ceramic-coated stainless. For 2001-03 GM full-size SUV/truck. Kit.		GIBGP131S	
2005-10 Ford F150 5.4L Stainless Header Shorty headers with 1-5/8" primary and stock collector flange. Natural stainless. For 2005-10 Ford full-size SUV with Ford modular. Kit.		GIBGP218S	
GORILLA			
Extra-Long Acorn Bulge Lug Nuts 1/2" Thread—Pack of 60 Extra-Long acorn bulge lug nuts with 1/2-20" right-Hand threads, 3/4" hex head, 60° seat, and closed end. Heat-treated chromed steel. Pack of 60.		GOR41188XLHT	
Extra-Long Acorn Bulge Lug Nuts 9/6" Thread—Pack of 60 Extra-Long acorn bulge lug nuts with 9/16-18" right-Hand threads, 3/4" hex head, 60° seat, and closed end. Heat-treated chromed steel. Pack of 60.		GOR41198XLHT	
GRANT			
Steering Wheel Installation Kit Steering wheel adapter for Grant wheel to OE column. Includes hardware and hub. Aluminum with matte black trim, Fits Porsche/Volkswagen. Kit.		GRT3565	
HELLWIG			
Helper Spring Kit Add-A-Leaf Pro helper spring kit for stock height rear springs. Silver powder-coated steel. For 2007-18 Toyota Tundra. Kit.		HEL1909	
HOLLEY			
Terminator Stealth EFI Kit w/GM Transmission Control Terminator Stealth EFI Fuel Injection system includes square-bore throttle body, 3.5" touch-screen, tuner, and transmission harness. V8. Gray aluminum.		HLV550-443	
Sniper 4500 EFI Stealth System—Gold Finish Sniper EFI fuel injection system includes throttle body with Dominator flange, fittings, O2 sensor. Includes programmer, fuel pressure regulator recommended. Gold anodized aluminum.		HLV550-843	
HOOKER			
Pontiac Super Competition Headers Super Competition headers with 2" primary and 3-1/2" collector. Black painted steel. For 1970-81 GM F-body with Pontiac V8. Kit.		HKR4202	
ISKY CAMS			
Roller Lifters - .874" Diameter for SBC Endurance Plus mechanical roller lifters with vertical link bar. 0.874" diameter. For Small Block Chevy. Set of 16.		ISK1241-LSH/874	
HPX EZ-Roll Hydraulic Roller Lifters for SBF Gold Series HPX hydraulic roller lifters with vertical link bar. For Small Block Ford. Set of 16.		ISK3875HYRT	

Description	Photo	Part No.	Price
JAZ			
22-Gallon Pro Sport Fuel Cell w/Flapper Fill Valve Pro Sport 22-gallon fuel cell and can. 25-3/4" wide x 17-3/8" deep x 14-1/2" tall, with -8AN outlet/vent. Red powder-coated steel, with foam. Each.		JAZ275-222-06	
JE PISTONS			
SBC Domed Piston Set 4.135" Bore +4.5cc Forged open chamber domed pistons with 4.135" bore and 1.2 x 1.5 x 3.0 mm ring grooves. Minus 4.5 cc. For Small Block Chevy. Set of 8.		JEP281799	
LONGACRE			
DX3 Hybrid Computer Scale with 15" Pads DX3 Hybrid electric vehicle scale includes (4) 15" aluminum scale pads with 1,500-lb. capacity each, 9.7" touchscreen controller, wiring, and case.		LON52-72617	
LUCAS OIL			
Extreme -Duty CLP Aerosol Cans, Case of 12 Extreme-Duty CLP gun cleaner. Cleaner/Lubricant/Protectant. Case of 12x 11-oz. aerosol cans.		LUC10916-12	
MAGNAFLOW PERFORMANCE EXHAUST			
Turbo-Back Exhaust Kit for 2001-07 GM 2500HD P/U 6.6L Custom Builder Series turbo-back exhaust system. 5" diameter. Aluminized steel. For 2001-04 GM full-size truck with Duramax engine.		MAG18982	
MANLEY			
BBC Severe-Duty 2.300" Intake Valves Severe-Duty stainless steel intake valves with 2.300" head and 0.342" valve stem. 5.444" long. For Big Block Chevy. Set of 8.		MAN11784-8	
MARCH PERFORMANCE			
Track Pulley Set for Chrysler 383/440/426 Revolver series 6-rib serpentine pulley kit. Clear powder-coated aluminum. For Mopar B/RB-series. Kit.		MPP40725	
MAXIMA RACING OILS			
Air Filter Maintenance Kit Case of 6x 2-Packs Air filter service 2-pack kit includes (1) 15.5-oz. aerosol cleaner and (1) 13-oz. aerosol oil. Case of 6 kits.		MAX70-799202	
MOROSO			
Dry Sump Oil Pump Drag Race 4-Stage Four-stage dry sump oil pump. 1.100 pressure/1.100 scavenge. Aluminum. Internal manifold with -16AN return. Each.		MOR22244	
Fabricated Valve Covers for 18° or 23° SBC Stock height valve covers with valve spring oilers. Fabricated aluminum with billet rail. Natural finish. For Small Block Chevy. Pair.		MOR68329	
GM LS Billet Aluminum Valve Cover Set 2.5" Tall Valve cover with 2-1/2" height, breather hole, and coil mounting bosses. Natural aluminum with Moroso logo. For GM LS series. Pair.		MOR68493	
MPI USA			
12" 5-Bolt Pro-Stock Drag Wheel Suede Pro Stock drag flat 4-spoke steering wheel is 12" diameter. Black anodized aluminum with black Italian suede wrap and orange stripe. Each.		MPIMPI-DRG-12	
MSD IGNITION			
Ford 351W Street Pro-Billet Distributor Pro-Billet distributor with magnetic pickup, vacuum advance, and HEI-style terminal. Red. For Small Block Ford. Each.		MSD8478	

Description	Photo	Part No.	Price
NGK			
NGK Spark Plug Stock #4551 NGK standard resistor spark plug with 14 mm thread, 0.500" reach, and gasket seat. Stock number 4551. Each.		NGKBR9HS-10	
NGK Spark Plug Stock #1716—Box of 100 NGK standard resistor spark plug with 14 mm thread, 0.749" reach, and gasket seat. Stock Number 1716. Box of 100.		NGKCS6-S100	
PAC RACING SPRINGS			
1.645" Triple Valve Spring 1300 series triple-spring valve spring. 1.645" O.D., 1.130" coil bind, and 689 lb/in spring rate. Each.		PACPAC-1349-1	
PACER PERFORMANCE			
Flexy Flares Fender Flares—Universal Fit—Heavy-Duty Reinforced Flexy Flares steel-reinforced black rubber fender flares are 3-1/2" wide x 58" long. Screw-in installation. Hardware included. Universal. Set of 4.		PCP52-189	
PROFORM			
Manual Piston Ring Filer Manual crank piston ring filer/grinder. Aluminum/steel construction. Each.		PFM66785	
Slim-Fit Radiator Universal GM Style Slim-fit universal series single-pass radiator is 27-13/32"w x 18-1/2"h x 4"d. Passenger side inlet, driver side outlet. Natural aluminum. Manual transmission. Each.		PFM69580-23	
Slim-Fit Radiator Universal Ford Style Slim-fit universal series single-pass radiator is 23-13/32"w x 18-1/2"h x 4"d. Driver side inlet, passenger side outlet. Natural aluminum. Manual transmission. Each.		PFM69590-19	
Slim-Fit Radiator Universal Ford Style Slim-fit universal series single-pass radiator is 25-13/32"w x 18-1/2"h x 4"d. Passenger side inlet, driver side outlet. Natural aluminum. Manual transmission. Each.		PFM69590-21	
Slim-Fit Radiator Universal Ford Style Slim-fit universal series single-pass radiator is 27-13/32"w x 18-1/2"h x 4"d. Passenger side inlet, driver side outlet. Natural aluminum. Manual transmission. Each.		PFM69590-23	
Slim-Fit Radiator 1968-77 Chevelle Auto Transmission Slim-fit direct-fit series single-pass radiator. 31-13/64"w x 16-51/64"h x 4"d. Driver side 1-1/2" inlet, passenger side 1-3/4" outlet. Natural aluminum. Automatic transmission. For 1967-77 GM A-body. Each.		PFM69625.2	
Slim-Fit Radiator System 1968-77 Chevelle Auto Transmission Slim-fit direct-fit series single-pass radiator. 31-13/64"w x 16-51/64"h x 4"d. Driver side 1-3/8" inlet, passenger side 1-1/2" outlet. Natural aluminum. Automatic transmission. For 1967-77 GM A-body. Each.		PFM69625.4	
Slim-Fit Radiator 1978-81 Lemans Auto Transmission Slim-fit direct-fit series single-pass radiator. 31-13/64"w x 16-51/64"h x 4"d. Driver side inlet, passenger side outlet. Natural aluminum. Automatic transmission. For 1978-85 GM G-body. Each.		PFM69640.2	
Slim-Fit Radiator 1982-93 GM S-10 Auto Transmission Slim-fit direct-fit series single-pass radiator. 32-7/64"w x 16-51/64"h x 4"d. Driver side inlet, passenger side outlet. Natural aluminum. Automatic transmission. For 1995-2002 GM compact truck with SBC.		PFM69650.2	
Slim-Fit Radiator 1979-93 Mustang Manual Slim-fit direct-fit series single-pass radiator is 29-7/64"w x 18-7/64"h x 4"d. Passenger side inlet, driver side outlet. Natural aluminum. For 1979-93 Ford Mustang with manual transmission. Each.		PFM69680.1	
PRW INDUSTRIES, INC.			
Extreme-Duty Flexplate SFI GM LS1/LS2/LS6 168T Xtreme Duty Platinum internal balance flexplate,. High-integrity 168-toothsteel flexplate is SFI29.1 approved. For GM LS-series. Each.		PQX1834610	

Description	Photo	Part No.	Price
PYPES PERFORMANCE EXHAUST			
Exhaust Stack 5" x 8" 36" L Black Single-wall angled-cut exhaust stack with rolled edge. Clamp-on/weld-on installation. 5" O.D. inlet, 8" round outlet, 36" tall. Black powder-coated stainless steel. Each.		PYPEVT508-36B	
2005-10 Mustang H-Pipe with Catalytic Converters Catted exhaust H-pipe. Long-tube headers, 2-1/2" diameter. Natural stainless. For 2005-10 Ford Mustang with Ford Modular. Each.		PYPHFM55E	
2011-14 Charger V6 Cat Back Exhaust System Street Pro X-pipe cat-back exhaust system with 2-1/2" diameter pipe and 2-1/2" tips. Stainless. Fits 2011-14 Mopar LX-body with V6.		PYPSMC26S	
QUICK FUEL TECHNOLOGY			
770CFM Carburetor—Brawler HR-Series Brawler die-cast 4bbl. carburetor flows 770 CFM. Features square bore, electric choke, vacuum secondary, and dual inlet. Polished finish. Each.		QFTBR-67258	
650CFM Carburetor—Brawler Q-Series Black Brawler Q-series 4bbl. carburetor flows 650 CFM. Features square bore, no choke, mechanical secondary, and dual inlet. Black/purple anodized. Each.		QFTBR-67301	
750CFM Carburetor—Blower 2x4 Q-series forced induction 4bbl. carburetor flows 750 CFM. Features square bore, no choke, mechanical secondary, and dual inlet. Polished/red anodized finish. Each.		QFTQ-750-B2	
RAM CLUTCH			
GM LS Complete Clutch Kit 168T w/6-Bolt Crank HDX Clutch Kit, HDX, Single Disc, 12" Diameter, 1-1/8" x 26 Spline, Sprung Hub, Flywheel, Organic, 6 Bolt Crank, GM LS-Series, Kit		RAM25-831	
GM LS Complete Clutch Kit 168T w/8 Bolt Crank HDX single-disc organic clutch kit. 12" diameter with 1-1/8" x 26 spline, sprung hub, and flywheel. For 8-bolt crank. GM LS series. Kit.		RAM25-832	
REDLINE OIL			
5W20 Synthetic Motor Oil Case of 12 High-performance 5W20 synthetic motor oil. High-zinc formula. Case of 12x 1-quart bottles.		RED15224	
5W30 Motor Oil Case of 12 High-performance 5W30 synthetic motor oil. High-zinc formula. Case of 12x 1-quart bottles.		RED15324	
REESE			
T-One Connector Assembly w/Circuit Protection Trailer light wiring harness with T-One Connector. Vehicle side 4 flat with brake, tail lights, and turn signals. For 2005-06 Jeep Grand Cherokee. Each.		REE118394	
Spare Tire Carrier w/Locking Brackets Economy spare tire carrier, 1/2" diameter with locking brackets. Includes lug nuts Included. Fits 8" to 15" wheels w 4- or 5-lug rims. Zinc-plated. Kit.		REEETCLB0700	
RIDETECH			
AirBar Rear Kit 1968-72 Nova Four-link bolt-on kit for airbag suspension includes brackets and hardware. Black powder-coated steel. Fits 1968-74 GM X-body. Kit.		ART11267199	
RIGHT STUFF DETAILING			
4-Wheel Disc Brake Conversion Kit Complete 4-wheel power disc brake conversion system. Includes single piston calipers and 11" rotors. For 1967-72 A-body. Kit.		RSDAFXDC46C	

Description	Photo	Part No.	Price
ROYAL PURPLE			
Multi-Grade 5W40 Synthetic Motor Oil—5-Gallon Pail Synthetic 5W40 motor oil. 5-gallon pail. Each.		ROY05540	
SALDANA			
Engine-Mounted Radiator for Sprint Car—Complete Cross-flow radiator is 20-5/8"W x 16"H x 1-3/4"D. With quad -10AN driver side inlets and center outlet. Includes brackets, hardware, overflow can, and WP housing. Natural aluminum. For Sprint Cars. Kit.		PLASRS15CFDM-SP-KIT	
SCAT ENTERPRISES			
SBC S/L 4340 Forged Crank - 3.750" Stroke Superlight forged internal balance crankshaft with 3.750" stroke and 2-piece seal. For Small Block Chevy. Each.		SCA4-400-3750-6000-3	
STOPTECH			
Stainless Steel Brake Line Kit Premium Sport stainless steel brake line kit. OE replacement fits various 1995-2017 Toyota applications.		STP950.44007	
T AND D MACHINE			
Needle Bearing for Steel Rocker Arm Body—8 Pack Needle bearings for T&D Machine steel rocker arms. Set of 8.		TDM0418-8	
Ti22 PERFORMANCE			
Pro Birdcage Spiral Lock Ring Birdcage spiral lock ring/seal retainer. Black oxide-treated steel. For Ti22 Birdcage. Each.		THP2118	
TIGER QUICK CHANGE			
Low-Drag Quick-Change Rear Axle Less Tubes Quick-change 2" GN rear axle assembly includes 10" ring gear, 4.86 standard gear ratio. Aluminum center. Does not include axle tubes. Kit.		TIGM2010S	
TRANS-DAPT			
Swap-In-A-Box Kit—LS Engine into 1967-69 Camaro Swap-in-a-box engine conversion kit includes crossmember, gaskets, hardware, headers, mounts, oil pan, and pickup tube. For GM LS series into 1967-69 GM F-body and 1968-74 GM X-body w/automatic transmission.		TRA42213	
TREND PERFORMANCE PRODUCTS			
Pushrod - 3/8" x .135" w/ .210" Radius, 9.150" Long Chromoly pushrod with ball ends is 9.150" long x 3/8" diameter with 0.135" thick wall. Each.		TDPT9151353	
TRIPLE X RACE COMPONENTS			
Torx Oval-Head Fastener 0.500" Long—Black Aluminum Torx oval-head quick-turn fastener. 7/16" x 0.500" body. Black anodized aluminum. Pack of 10.		TXRCH-4417BLK-10	
TRUXEDO			
Sentry CT Bed Cover for 2015-18 Ford F-150 w/ 5'6" Bed Sentry CT roll-up tonneau cover has black vinyl top with bed rail attachment. Fits 2015-18 Ford F150 with 5'6" bed. Kit.		TRX1597716	
Lo Pro Tonneau Cover for 2020-Up GM 2500HD/3500HD w/ 6'10" Bed Lo Pro roll-up tonneau cover with hook-and-loop attachment. Black vinyl top. Fits 2020-up GM full-size truck with 6'10" bed.		TRX573301	

Description	Photo	Part No.	Price
VALVOLINE			
Valvoline VR1 Racing 10W30 Motor Oil—1-Quart VR1 Racing 10W30 conventional motor oil. High-zinc formula. Sold in 1-quart bottles. Each.		VAL822388-C	
Valvoline VR1 Racing 30W Motor Oil—1-Quart VR1 Racing 30W conventional motor oil. High-zinc formula. Sold in 1-quart bottles. Each.		VAL822401-C	
Valvoline 80W90 Gear Oil—1-Quart Conventional 80W90 differential gear oil. Sold in 1-quart bottles. Each.		VAL831	
Valvoline Synthetic 75W90 Differential Oil—1-Quart Synthetic 75W90 differential gear oil with limited slip additive. Sold in 1-quart bottles. Each.		VAL975	
WELD RACING			
15" x 10" RT-S Wheel 5x4.5" BC 7.5" Backspace Black S71 15" x 10" aluminum wheel with 7.500" backspace and 5 x 4.50" bolt pattern. Medium pad. Black anodized/polished finish. Each.		WEL71MB-510A75A	
15" x 17" 42-Spline 5" Backspace Bead-Loc w/Cover Magnum 15" x 17" aluminum wheel with 5.000" backspace, 42-spline mounting. Beadlock, cover included. Gold anodized/polished. Each.		WEL735-51755-6	
15" x 18" 42-Spline 6" Backspace Bead-Loc w/Cover Magnum 15" x 18" aluminum wheel with 6.000" backspace, 42-spline mounting. Beadlock, cover included. Gold anodized/polished. Each.		WEL735-51856-6	
15" x 15" 5" Backspace Inner Bead-Loc, Black Center Magnum 15" x 15" aluminum wheel with 5.000" backspace, 42-spline mounting. Beadlock. Black anodized/polished. Each.		WEL735B-51535	
15" x 15" 7" Backspace Inner Bead-Loc, All Black Magnum 15" x 15" aluminum wheel with 7.000" backspace, 42-spline mounting. Beadlock. Black anodized. Each.		WEL735B-515B37	
15 x 3.5" Full Throttle Wheel Anglia with 1.75" Backspace Full-Throttle 15" x 3.5" wheel with 1.750" backspace. Anglia spindle mounting. Polished aluminum. Each.		WEL82B-15000	
15" x 8" Spindle-Mount Rim Shell with 5" Backspace Direct-mount 15" x 8.25" wheel with 5.000" backspace. 5 x 9.75" bolt pattern. Polished aluminum. Each.		WEL860-50815	
15" x 9" Direct Mount Wheel 3" Backspace Bead-Loc w/Cover Direct Mount 15" x 9" aluminum wheel with 3.000" backspace. 5 x 9.75" bolt pattern, Bead-lock, cover included. Polished. Each.		WEL860-50953-6	
15" x 3.5" Magnum P.R.O. 1-Piece Wheel, 5x4.50 1.75" Backspace Magnum 15" x 3.5" 1-piece aluminum wheel with 1.750" backspace. 5 x 4.50" bolt pattern. Polished. Each.		WEL86P-15204	
17" x 2.125" AlumaStar 2.0 1-Piece Wheel Anglia Spindle Mount AlumaStar 17" x 2.25" 1-piece aluminum wheel with 1.13" backspace. Anglia spindle mount. Polished. Each.		WEL88-17000	
15" x 15" AlumaStar 2.0 Wheel 5.00" Backspace 5x4.75 AlumaStar 15" x 15" aluminum wheel with 5.000" backspace, 5 x 4.75" bolt pattern. Polished. Each.		WEL88-515280	
15" x 3.5" AlumaStar 2.0 Strange Spindle Mount, Black AlumaStar 15" x 3.5" 1-piece aluminum wheel with 1.750" backspace. Strange spindle mount. Black anodized. Each.		WEL88B-15001	

Description	Photo	Part No.	Price
WELD RACING			
15" x 12" Draglite 5 X 4.5-4.75" 4.5" Backspace Draglite 15" x 12" aluminum wheel, with 4.500" backspace. 5 x 4.50 / 5 x 4.75" bolt pattern. Polished. Each.		WEL90-512348	
15 x 14" ProStar Wheel 5x4.5" 3.5" Backspace ProStar 15" x 14" aluminum wheel with 3.500" backspace. 5 x 4.50" bolt pattern. Polished. Each.		WEL96-514206	
15" x 5" Pro Star 5x4.5" 3.5" Backspace ProStar 15" x 5" aluminum wheel with 3.500" backspace. 5 x 4.50" bolt pattern. Polished. Each.		WEL96-55206	
Lightweight Hub 13"/15" Straight Shaft w/3-Lug Rotor Mount Direct-mount Ultra front wheel hub, driver's side, 13"/15" full center, 3-lug rotor mount. Black anodized aluminum. Straight spindle. Kit.		WELC8088B-LT	
Lightweight Hub 13"/15" Straight Shaft No Rotor Mount Direct-mount Ultra front wheel hub, passenger side, 13"/15" full center, no rotor mount. Gold anodized aluminum. Straight spindle. Kit.		WELC8088-RT	
16" x 16" Delta-1 Drag Wheel 5x4.75 BP 4.0" Backspace Delta-1 16" x 16 aluminum drag wheel with 4.000" backspace. 5 x 4.75" bolt pattern. Bead-lock. Polished. Each.		WELD1PPS616B4DP	
WILWOOD			
Pro Spindle Front Disc Brake Kit for C10 Pro Spindle front brake system with red powder-coated forged aluminum Superlite 4R narrow 4-piston calipers and 12.190" slotted iron rotors. For 1963-87 GM SUV/trucks.		WIL140-15302-R	
WIZARD PRODUCTS			
Mist-N-Shine Detailer—1 Gallon Mist-N-Shine exterior detailer. Sold in 1-gallon jugs. Each.		WIZ01217	
WOODWARD FAB			
Tube & Pipe Bender Stand for WFB2 Tubing bender stand is 37" tall with a pre-drilled floor mount. Blue painted steel. For use with Woodward-Fab tubing bender. Each.		WWFWFB2STAND	
Tubing Die 1-3/4" X 6" Round Tube 180° Tubing bender die and shoe for 1-3/4" tubing. 180° with 6" radius. Includes die shoe and roller. Steel. For use with Woodward tubing bender. Kit.		WWFWFBDT13/4X6-180	
Manual Bead Roller Kit with 18" Throat Bead roller works with up to 18-gauge material. Manual controlled unit includes dies. Gray painted steel. Kit.		WWFWFBR6	
YUKON GEAR AND AXLE			
Master Overhaul Kit Ford 10.50" 1986 & Older Master overhaul differential installation kit. Includes bearings, crush sleeve, gaskets, hardware, seals, and shims. For 1999-2006 Ford 10.50". Kit.		YKNYKF10.5-A	
YELLA TERRA			
BBF Platinum Rocker Arm Kit - 1.73 Ratio Platinum series shaft-mounted roller-tip aluminum rocker arms with 1.73 ratio. For use with Big Block Ford/Cleveland/Modified. Set of 16.		YTRYT6321	



Toyota Landcruiser DUI Distributor DUI80820BK

Designed to provide increased ignition performance to the 1968-87 Toyota Landcruiser with a F or 2F engine, DUI distributors are assembled using premium components, include an internal high-voltage coil, and are virtually waterproof, making them ideal for off-road enthusiasts.



Toyota Landcruiser LiveWires DUIC9079BK

The ideal complement for a Toyota Landcruiser F or 2F with a DUI distributor, LiveWires custom-fit spark plug wire set combine a spiral-wound core that prevents radio interference with premium insulation, a durable silicone jacket, and high-temperature sleeve that is capable of resisting up to 1,400° F. Black only.




1981-86 Chevy V-8 Computer-Controlled DUI Distributor DUI12600BK

Assembled using only the best components, this DUI distributor delivers improved ignition performance to 1981-86 Chevy V-8's. Direct-fit unit features the 7-pin Dyna-Module and 50,000 volt Street/Strip DUI internal coil. Polished to a high-tech appearance and fitted with a black cap.



2021 Ford F150 ATA® Cat-Back Exhaust ATA® - "Acoustically-Tuned Applied Kinetics"

The highest available dB levels in the Borla street-legal lineup. The size, quantity, and perforation patterns of ATA® muffler cores are tuned like a graphic equalizer on a vehicle-by-vehicle basis, to shape and focus sound waves for optimum high-volume output. The 2-1/4" diameter stainless steel system features dual rear exit with rolled edge 4" tips.



Part No.	Description	Price
BOR140864	2.7L/3.5L, Auto Trans, 2WD/4WD, 4-Door Crew Cab Short Bed/2-Door Extended Cab Standard Bed, Chrome Tips	
BOR140864BC	2.7L/3.5L, Auto Trans, 2WD/4WD, 4-Door Crew Cab Short Bed/2-Door Extended Cab Standard Bed, Black Tips	
BOR140867	5.0L, Auto Trans, 2WD/4WD, 4-Door Crew Cab Short Bed/2-Door Extended Cab Standard Bed, Chrome Tips	
BOR140867BC	5.0L, Auto Trans, 2WD/4WD, 4-Door Crew Cab Short Bed/2-Door Extended Cab Standard Bed, Chrome Tips	

NEW PRODUCTS



Spring Rubbers for 2-1/2" I.D. Coil Springs

Engineered to fit 2-1/2" I.D. coil springs, spring rubbers are used to add progressive rate to linear race springs, and add roughly 3/4" of solid height to the spring. Offered in five different durometers.



Part No.	Description	Price
EIBSR.250.0050	50 Durometer (Black)	
EIBSR.250.0060	60 Durometer (Purple)	
EIBSR.250.0070	70 Durometer (Green)	
EIBSR.250.0080	80 Durometer (Yellow)	
EIBSR.250.0090	90 Durometer (Blue)	

2-1/2" I.D. Helper Spring EIBHELPER60

Prevents main spring from becoming loose at full drop. Constructed from flat spring wire for maximum travel and minimum block height. Helper spring is 2.43" I.D. x 2.95" long.




Platinum Conventional Front Springs

Combines the benefits of legendary quality, maximum travel, rate linearity, and block resistance, while including the ability to withstand the punishment common to oval track racing.

Part No.	Description	Price
EIBPF0950.500.0575	9-1/2" Tall x 5" Dia., 575 lb. Rate	
EIBPF0950.500.0625	9-1/2" Tall x 5" Dia., 625 lb. Rate	
EIBPF0950.500.0650	9-1/2" Tall x 5" Dia., 650 lb. Rate	

Pro-Kit for C8 Corvette EIBE10-23-036-01-22

Designed for use on the 2020-21 C8 Chevy Corvette Coupe 6.2L, the Pro-Kit provides a lower center of gravity for improved handling, cornering and fuel mileage, while also offering aggressive good looks. Kit includes (4) specially engineered springs and lowers the front and rear ride height 1.1".



Heat and Sound Barrier Kits

A leader in automotive thermal and acoustic insulation, implements cutting edge technology and lightweight materials to significantly reduce sound and heat concerns. The insulation features aluminum sheathing one side and a self-adhesive surface on the other.


Universal Kits




FTLFB12

Part No.	Description	Price
FTLFB12	12" x 36", Set of Four	
FTLFB20	18" x 32", Set of Five	
FTLFB36	18" x 32", Set of Nine	
FTLFB72	24" x 48", Set of Nine	

Pre-Cut Kits



FTLTABA1001



FTLTABA1011

Part No.	Description	Price
FTLTABA1001	1964-72 GM A-Body, Roof	
FTLTABA1003	1964-67 GM A-Body, Doors/Quarter Panels	
FTLTABA1004	1968-72 GM A-Body, Doors/Quarter Panels	
FTLTABA1005	1964-67 GM A-Body, Floor	
FTLTABA1006	1968-72 GM A-Body, Floor	
FTLTABA1007	1964-67 GM A-Body, Trunk	
FTLTABA1008	1968-72 GM A-Body, Trunk	
FTLTABA1011	1964-67 GM A-Body, 2-Door, Complete	
FTLTABA1012	1968-72 GM A-Body, 2-Door, Complete	
FTLTABA1013	1964-67 GM A-Body, Convertible, Complete	
FTLTABA1014	1968-72 GM A-Body, Convertible, Complete	
FTLTABF2001	1967-69 GM F-Body, Roof	
FTLTABF2002	1974-81 GM F-Body, Roof	
FTLTABF2003	1968-69 GM F-Body, Doors/Quarter Panels	
FTLTABF2004	1970-81 GM F-Body, Doors/Quarter Panels	
FTLTABF2005	1967 GM F-Body, Doors/Quarter Panels	
FTLTABF2007	1967-68 GM F-Body, Trunk	
FTLTABF2008	1969 GM F-Body, Trunk	
FTLTABF2009	1970-81 GM F-Body, Trunk	
FTLTABF2011	1967-69 GM F-Body, Floor	
FTLTABF2012	1970-81 GM F-Body, Floor	
FTLTABF2013	1967 GM F-Body, 2-Door, Complete	
FTLTABF2014	1968-69 GM F-Body, 2-Door, Complete	
FTLTABF2015	1974-81 GM F-Body, 2-Door, Complete	
FTLTABF2016	1967 GM F-Body, Convertible, Complete	

Pre-Cut Kits



FTLTABF2017



FTLTABT4015

Part No.	Description	Price
FTLTABF2017	1968-69 GM F-Body, Convertible, Complete	
FTLTABF2018	1976-81 GM F-Body T-Top, Complete	
FTLTABF2019	1993-02 GM F-Body, Floor	
FTLTABF2020	1993-02 GM F-Body, Doors	
FTLTABF2021	1993-02 GM F-Body, Roof	
FTLTABF2022	1993-02 GM F-Body, Trunk	
FTLTABF2023	1993-02 GM F-Body, Complete	
FTLTABF2024	1982-92 GM F-Body, Floor	
FTLTABF2025	1982-92 GM F-Body, Doors	
FTLTABF2026	1982-92 GM F-Body, Trunk	
FTLTABF2027	1982-92 GM F-Body, Roof	
FTLTABF2028	1982-92 GM F-Body, Complete	
FTLTABF2029	1982-92 GM F-Body, Full	
FTLTABF2030	1993-02 GM F-Body, T-Top, Complete	
FTLTABF2031	1970-73 GM F-Body, Roof	
FTLTABF2032	1970-73 GM F-Body, 2-Door, Complete	
FTLTABT4001	1967-72 Chevy/GMC Truck, Complete	
FTLTABT4002	1973-80 Chevy/GMC Truck, Complete	
FTLTABT4003	1981-87 Chevy/GMC Truck, Complete	
FTLTABT4004	1967-72 Chevy/GMC Truck, Floor, High Tunnel	
FTLTABT4005	1967-72 Chevy/GMC Truck, Doors	
FTLTABT4006	1967-72 Chevy/GMC Truck, Cab Panels	
FTLTABT4007	1973-87 Chevy/GMC Truck, Doors	
FTLTABT4008	1973-87 Chevy/GMC Truck, Cab Panels	
FTLTABT4009	1973-80 Chevy/GMC Truck, Floor, Low Tunnel	
FTLTABT4010	1981-87 Chevy/GMC Truck, Floor, Low Tunnel	
FTLTABT4011	1967-72 Chevy/GMC Truck, Floor, Low Tunnel	
FTLTABT4012	1967-72 Chevy/GMC Truck, Complete, Low Tunnel	
FTLTABT4013	1973-80 Chevy/GMC Truck, Floor, High Tunnel	
FTLTABT4014	1973-80 Chevy/GMC Truck, Complete, High Tunnel	
FTLTABT4015	1981-87 Chevy/GMC Truck, Floor, High Tunnel	
FTLTABT4016	1981-87 Chevy/GMC Truck, Complete, High Tunnel	
FTLTABT4017	1973-87 Chevy/GMC Truck, Roof	



2021 Ford F150 2.7L/3.5L/5.0L Outlaw Series Dual Exit Exhaust FLO817981

This bolt-on, emissions legal, 409 stainless steel system offers maximum sound inside and outside of the vehicle. The 3" diameter tubing utilizes a Super 10 Series muffler with 3" dual black tailpipes.



MBRP®

2021 Ford Bronco 2.3/2.7L Ecoboost

3" diameter exhaust system with single side exit.

Pro Series - Mandrel-bent T-304 stainless cat-back system maximizes exhaust flow and minimizes engine temperatures. Includes stainless steel MBRP logo tip.

Installer Series - Mandrel-bent aluminized steel cat-back system that is engineered with a straight-through muffler. Includes stainless steel tip.



Part No.	Description	Price
MBRS5235304	Pro Series	
MBRS5235AL	Installer Series	



Hi-Five Cab Roof Light Kit

Complete 5-light aftermarket cab roof light kit. The kit includes mounting hardware.



PCP20-246



PCP20-266

Part No.	Description	Price
2003-17 Dodge RAM Truck Style		
PCP20-246	Incandescent, Amber	
PCP20-246C	Incandescent, Clear	
PCP20-247	LED, Amber	
PCP20-247C	LED, Clear	
2015-19 Chevy/GM Full-Size Truck Style		
PCP20-266	LED, Amber	
PCP20-266S	LED, Clear	

NEW PRODUCTS



Throttle Body Rotation Angle Adapter

A necessary component when adapting a GM LT4 supercharger to GM LT truck V8 engines. The 1/2" thick adaptor is made from aerospace-grade billet aluminum. Bolts and O-ring included. Made in the USA.



Part No.	Description	Price
ICT551784-L83	L83/L88 Throttle Body	
ICT551784-LT1	LT1/LT4/L86 Truck Throttle Body	

L83/L86 Truck to LT4 Supercharger Idle Pulley Adapter Bracket ICT551790

Manufactured from aerospace grade billet aluminum and uses OE truck, 6-rib pulley to drive the supercharger. Includes 3 idler pulleys, idler bracket, and hardware. Made in the USA.



Power Booster and Master Cylinder Combo

These power booster and master cylinder brake kits with dual integral reservoir are designed to provide the look and feel of factory power brake components.



LEED761A3

Part No.	Description	Price
LEE4R6B4	1960-66 Chevy/GMC Truck, 1-1/8" Bore, 9" O.D., Single Diaphragm, Chrome	
LEE761A3	1967-72 Chevy/GMC Truck, 1" Bore, 7" O.D., Dual Diaphragm, Zinc-Plated	
LEEE96B4	1957-72 Ford Truck, 1-1/8" Bore, 8" O.D., Dual Diaphragm, Chrome	
LEEF0007HK	1964-66 Ford Mustang, 1" Bore, 7" O.D., Single Diaphragm, Includes Brake Lines To Distribution Block, Zinc-Plated	
LEEF00019HK	1967-70 Ford Mustang, 1" Bore, 8" O.D., Dual Diaphragm, Black Oxide	
LEEF00022HK	1967-70 Ford Mustang, 1" Bore, 8" O.D., Dual Diaphragm, Includes Brake Line & Adjustable Proportioning Valve, Black Oxide	
LEEF00035HK	1964-66 Ford Mustang, 1" Bore, 7" O.D., Single Diaphragm, Includes Brake Lines to Distribution Block, Zinc-Plated	
LEEF00042HK	1964.5-66 Ford Mustang, 1-1/16" Bore, 7" O.D., Single Diaphragm, Includes Mounting Bracket, Brake Lines to Distribution Block & Adjustable Proportioning Valve, Zinc-Plated	

Master Cylinder Only

LEEF00001HK	1964-66 Ford Mustang, 1" Bore, Dual Diaphragm, with Proportioning Valve, Iron	
LEEF00006HK	1964-66 Ford Mustang, 1" Bore, Dual Diaphragm, Iron	
LEEF00045HK	1957-68 Ford, 1" Bore, Dual Diaphragm, Iron	
LEEMC004	1967-72 Ford Mustang/Mercury Cougar, 1" Bore, Dual Diaphragm, Left Side Outlets, Iron	

Horn Buttons

Fits 6-bolt steering wheel.

LEC3661



Part No.	Description	Price
LEC3630	Polished Aluminum	
LEC3631	Polished Aluminum, Lecarra Logo	

Aluminum Steering Wheel Adapters



Part No.	Description	Price
6-Bolt		
LECB-26457	1967-94 GM, Vette 3-Spoke Steering Wheels, Polished Aluminum	
LECB-26458	1967-94 GM, Vette 2-Spoke Steering Wheels, Polished Aluminum	
9-Bolt		
LECB-12411	1992-99 Ford Fullsize SUV/Truck, Black Anodized Aluminum	
LECB-12412	1978-91 Ford Fullsize SUV/Truck, Black Anodized Aluminum, OE Locking Column	
LECB-16400	1961-80 International Scout, Black Anodized Aluminum	
LECB-16402	1949-66 GM, Black Anodized Aluminum	
LECB-16422	1954-66 GM Fullsize Truck, Black Anodized Aluminum	
LECB-22411	1992-99 Ford Fullsize SUV/Truck, Polished Aluminum	
LECB-22412	1978-91 Ford Fullsize SUV/Truck, OE Locking Column, Polished Aluminum	
LECB-26400	1961-80 International Scout, Polished Aluminum	
LECB-26402	1949-66 GM, Polished Aluminum	
LECB-26422	1954-66 GM Fullsize Truck, Polished Aluminum	
LECB-22455	1948-57 Ford Fullsize Truck, Polished Aluminum	

NEW PRODUCTS

Black Leather Steering Wheels



LEC41201



LEC63601



LEC94301

Part No.	Description	Price
LEC41201	Mark 4, 14" Diameter, 3-Spoke, 1-1/2" Dish, Polished Aluminum	
LEC61501	Trans Am, 14" Diameter, 3-Spoke, Flat, Polished Aluminum	
LEC63201	Vette 3, 14" Diameter, 3-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC63401	Two Smooth, 14" Diameter, 2-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC63501	SS, 14" Diameter, 2-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC63601	Hot Rod, 14" Diameter, 3-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC66601	Two Smooth, 15" Diameter, 2-Spoke, 1-1/2" Dish, Stainless Steel Polished	
LEC66701	SS, 15" Diameter, 2-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC66801	Hot Rod, 15" Diameter, 3-Spoke, 1-1/2" Dish, Polished Stainless Steel	
LEC91201	Mark 9, 14" Diameter, 4 Spoke, 1-1/2" Dish, Polished Aluminum	
LEC92201	Mark 9 GT, 14" Diameter, 4 Spoke, 1-1/2" Dish, Polished Aluminum	
LEC94301	Mark 9 Supreme, 14" Diameter, 4 Spoke, 1-1/2" Dish, Polished Aluminum	



Corsa Lite Driving Shoe

This mid-top driving shoe is ultra-lightweight and is constructed with a fire-resistant breathable fabric and kangaroo leather inserts. The ultra-thin rubber sole is oil and abrasion resistant. FIA8856-2018 certified.



Size	Part No.	Price
Black		
42	MOMSCACOLBLK42F	
43	MOMSCACOLBLK43F	
44	MOMSCACOLBLK44F	
45	MOMSCACOLBLK45F	
Blue		
42	MOMSCACOLBLU42F	
43	MOMSCACOLBLU43F	
44	MOMSCACOLBLU44F	
45	MOMSCACOLBLU45F	

Size	Part No.	Price
Gray		
42	MOMSCACOLGRE42F	
43	MOMSCACOLGRE43F	
44	MOMSCACOLGRE44F	
45	MOMSCACOLGRE45F	
Red		
42	MOMSCACOLRED42F	
43	MOMSCACOLRED43F	
44	MOMSCACOLRED44F	
45	MOMSCACOLRED45F	

Multi-Color LED Halo Light Kit

This surface mounting waterproof kit offers SMD ColorSHIFT® technology with user controlled colors thanks to the BC1 controller. Kit includes (2) surface-mount waterproof halo rings, (2) quick-connect wiring adapters, (2) wide voltage external LED drivers, and adhesion pad. 1-year warranty.



Part No.	Description	Price
ORA1214-335	2020-21 Jeep Gladiator JT, Headlights, with BC1 Controller	
ORA1236-333	2015-21 Dodge Challenger, Fog Lights	

2015-21 Dodge Challenger Colorshift® LED Headlight Kit ORA1329-335

Featuring high-performance RGB+W chips, this kit allows you to use the existing DRL feature on the LED headlights and adapt it to color-changing DRLs while maintaining a true white DRL function. Kit includes (4) RGB+W DRL replacements, (2) constant current LED drivers, (2) IP67 wiring adapters, and the BC1 controller. 1-year warranty.



Simple RGB Controller with Remote ORA1612-504

This universal RGB controller use a handheld infrared remote that can be used to control ORACLE ColorSHIFT products. It has the ability to change between 24 colors and 9 color changing modes. The LED intensity is adjustable from 0 to 100% brightness and, the dynamic modes speed is adjustable to 16 different levels.



Lighting Kit Accessories



Price	Description	Price
ORA2009-001	Push Button Power Switch, Lighted, Each	
ORA2071-504	LED Wire Harness Adapter, CANbus, for Use with H4 LED Bulbs, Pair	
ORA2086-504	LED Illuminated Wheel Ring Bracket, Each	

Engine Bay LED Light Strip Kit ORA2704-333

This plug and play LED ColorSHIFT® color-changing LED light strip is ideal for improving the intensity and the look of the light under any vehicle hood. Kit includes very bright 5050 SMDs, connectors, wireless transmitter, waterproof LEDs with self-adhesive backing, and an in-line fuse. 1-year warranty.



NEW PRODUCTS

2005-13 Chevy Corvette LED Side Concept Side Marker Light Kits ORA3150-020

Concept SMD Ssidemarker lights are combined with tinted lenses to complete this direct factory replacement side marker kit. Includes (2) front amber SMD side-markers, (2) rear red SMD sidemarkers, and installation instructions. 1-year warranty.



ColorSHIFT® Single Pod Flood Light ORA3206-333

When the need is for additional trunk, underhood lighting, or vehicle accent illumination, this aluminum housing single pod ColorSHIFT® color-changing LED is the ideal solution. The 1-watt bulb offers 120-degree output. 1-year warranty.



Dual Color Slim Strobe Light

Designed for first responders and law enforcement, these solid-state LED strobe lights offer a built-in controller module allowing up to 19 select patterns. Amber/white strobe. ECE R10 Class 1 certification. 1-year warranty.



Part No.	Description	Price
ORA3512-023	4 LED, 3.75" Long	
ORA3513-023	6 LED, 4.26" Long	


H10/9145 18SMD Bulbs ORA3601-001

Factory direct replacement. White. Sold in pairs.




Double-Row LED Truck Tailgate Light Bar ORA3825-504

Add safety and functionality to most any pickup truck with the 60" double-row LED light bar. Quickly installs with the supplied 3M adhesive and plugs into the 4-pin trailer light plug. Acts as a running light, the unit becomes an attention-getting brake light and turn signals. Kit includes the 60" double row LED light bar, mounting adhesive and hardware, and instructions. 1-year warranty.



LED Truck Bed Lights ORA3826-504

Light up the inside of any truck bed with a pair of 60" long, 3M adhesive equipped IP67 waterproof LED strips. Includes plug and play wiring harness, power switch, and zip ties. 1-year warranty.



2015-2021 Dodge Challenger LED Surface Mount Headlight Halo Kit ORA3990-335

The surface-mount waterproof design with ColorSHIFT® technology for brilliant colors and the best quality LED components offers easy installation by adhering to the headlight housing exterior. Includes (4) surface mount waterproof headlight halo rings, (4) quick connect wiring adapters, (4) wide voltage external LED drivers, adhesion promoter pad, and a BC1 controller.




36" Flexible ColorSHIFT® LED Strip ORA4207-333

36" long waterproof LED strip. Can be cut down to size. Designed to tie into other 12-volt components. 1-year warranty.



Lighted Wheel Ring Kit

Designed to light the wheels on almost any vehicle. The illuminated aluminum ring installs around the brake rotor and attaches to the brake dust shield. ColorSHIFT® option requires the use of a ColorSHIFT® controller for proper operation. Includes (4) LED 16.5" diameter wheel rings, (20) stainless steel brackets, (20) installation screws, (4) waterproof cables, a wiring hub, a LED rocker switch (except ColorSHIFT®), and installation instructions with video.



Part No.	Description	Price
ORA4210-334	Single Row, ColorSHIFT®	
ORA4215-332	Double Row, ColorSHIFT®, Bluetooth Controller	
ORA4215-334	Single Row, ColorSHIFT®	
ORA4228-001	Double Row, White	
ORA4228-002	Double Row, Blue	
ORA4228-003	Double Row, Red	

2022 Ford Bronco/ 2018-21 Jeep Wrangler JL Spare Tire Light Wheel Ring Kit ORA4211-334

Functional as a third brake light or to just add style to Jeep JLs or the new Ford Bronco. Kit includes the LED lined aluminum wheel ring, mounting brackets, and hardware.



ColorSHIFT® Universal LED Underbody Kit ORA4229-332

Kit offers 200 preprogrammed moving light patterns and is controller via a Smartphone App. Kit includes (2) 4-foot dynamic ColorSHIFT® IP 68 waterproof strips, (2) 6-foot dynamic ColorSHIFT IP 68 waterproof strips, a dynamic ColorSHIFT Bluetooth controller and installation hardware.



Universal Vehicle Interior Fiber Optic LED Kits

Create dramatic accent lighting for a vehicle's interior with fiber optic cable. The integrated edge of the cable allows for installation between body interior panels and can be stitched into custom upholstery. Kits include LED light heads, controller, and fiber optic cable. Additional LED light heads available separately.



Part No.	Description	Price
Fiber Optic Lighting Kits		
ORA4233-333-2	Kit w/ 2 ColorSHIFT® LED Light Heads and 10' Fiber Optic Cable	
ORA4233-333-4	Kit w/ 4 ColorSHIFT® LED Light Heads and 20' Fiber Optic Cable	
ORA4233-333-6	Kit w/ 6 ColorSHIFT® LED Light Heads and 30' Fiber Optic Cable	
Additional LED Light Heads		
ORA4230-002	Blue LED Light Heads, Each	
ORA4230-003	Red LED Light Heads, Each	
ORA4231-333-1	ColorSHIFT® LED Light Heads, Each	
ORA4231-333-2	ColorSHIFT® LED Light Heads, Pair	
ORA4231-333-6	ColorSHIFT® LED Light Heads, Set of 6	

NEW PRODUCTS

LED Bulbs

ORA4806-001



ORA5003-003

Part No.	Description	Price
T10		
ORA4806-001	White, 1 LED, Pair	
ORA4806-005	Amber, 1 LED, Pair	
3156		
ORA4806-001	White, 12 LED, Each	
3157		
ORA5001-001	White, 12 LED, Each	
ORA5003-003	Red, 12 LED, Each	
ORA5003-005	Amber, 12 LED, Each	
1156		
ORA5005-001	White, 13 LED, Each	
ORA5005-005	Amber, 13 LED, Each	
ORA5106-001	White, 15 LED, Spider	
1157		
ORA5007-001	White, 13 LED, Each	
ORA5007-005	Amber, 13 LED, Each	
7443		
ORA5011-001	White, 18 LED, Each	
ORA5011-003	Red, 18 LED, Each	
ORA5011-005	Amber, 18 LED, Each	
ORA5111-023	White/Amber, 18 LED, Each	

Jeep/Mopar 5202-9006 Fog Light 5202-9006 Conversion Harness ORA5134-504

Adaptewr allows Jeep/Mopar fog lights to be used with aftermarket LED and HID options. Sold in pairs.



Illuminated ColorSHIFT® Cable Extensions

4-pin, 72" long.



Part No.	Description	Price
ORA5136-504	Wheel Ring Cable	
ORA5814-504	Rock Light Cable	

Jeep Gladiator Reverse Light Bulbs ORA5211-001

Cool white, T10 LED factory replacement reverse light bulbs. Sold in pairs.



Red Underbody Rock Light Kit ORA5410-003

The kit includes two red high-intensity 3-watt LEDs with a stud-style screw design.



Off-Road Black Series 7D 20W LED Square Spot/Flood Lights ORA5812-001

This pair of 7D 20-watt 3" square spot/flood lights with black bezels are perfect for off-road use. Includes mounting hardware. 4 x 5W CREE XT-E LEDs.



7" LED Headlights

The ultimate LED replacement option for 7" diameter sealed beam lighting. DOT approved. Easy plug and play installation. 2-year replacement warranty. Sold as pairs.



Part No.	Description	Price
Universal		
ORA5769-004	Green Halo, Black Bezel	
2019-21 Jeep Wrangler JL/Gladiator JT		
ORA5769J-001	White Halo, Black Bezel	
ORA5769J-504	Green Halo, Black Bezel	

Underbody ColorSHIFT® Wheel Rock Light Kit

Thanks to bluetooth smartphone control or the wireless remote, change colors, control intensity and strobe, and control lights with the vehicle's music. Installs in vehicle wheel wells.



Part No.	Description	Price
ORA5796-333	4-Light Kit	
ORA5797-333	8-Light Kit	

ROUGH COUNTRY®

2021 Ford Bronco 3-1/2" Lift Kit RCS51027

This 3-1/2" lift kit improves vehicle stance and increases ground clearance allowing for larger diameter tires. Kit includes upper control arms with ball joints, shock spacers, brackets, and hardware.



2021 Ford Bronco Third Brake Light Extension RCS51051

Relocates the vehicle third brake light to accommodate oversized spare tire with use of relocation bracket (RCS51055).



2021 Ford Bronco Spare Tire Relocation Bracket RCS51055

Accommodates up to a 35" x 12.50" tire.



2021 Ford Bronco 40" LED Light Bar RCS71041

The 40" wide 16,000 lumen light bar mounts directly above the windshield. The black steel frame unit is both durable and stylish. Includes mounting hardware, wiring, and switch.



V2 Dual Steering Stabilizer Kit

The application-specific kits include two monotube gas stabilizers and all the required mounting hardware. A must for large tire and lifted vehicles.



Part No.	Description	Price
RCS8730470	2018-21 Jeep Wrangler JL/ 2020-21 Jeep Gladiator JT, 2-1/2" or More Lift	
RCS8734970	2007-18 Jeep Wrangler JK 2007-18, 2-1/2" or More Lift	
RCS8749170	2005-22 Ford F150, 2" to 8" Lift	
RCS8749470	2013-21 Dodge RAM 1500, 2-1/2" or More Lift	



15" Wheel Aluminum Bead Breaker TIP8507

Wide jaw, billet aluminum bead breaker for 15" diameter wheels. This lightweight bead breaker keeps you from damaging the wheels when breaking them down.



Silicone Radiator Hoses

Part No.	Description	Price
1-1/2" Diameter		
TIP5161	45° Bend	
TIP5162	90° Bend	
1-3/4" Diameter		
TIP5166	45° Bend	
TIP5167	90° Bend	



Radiator Silicone Hose Union

3" long.

Part No.	Description	Price
TIP5178	1-1/2" Diameter	
TIP5179	1-3/4" Diameter	



1-1/2" - 1-3/4" Hose Clamps TIP5175

Aluminum hose clamps designed for 1-1/2" to 1-3/4" diameter tubing. 10-pack.



AN Adjustable Wrench TIP8532

Black anodized billet aluminum adjustable wrench. Adjustable range -3 through -16.





2007-18 Jeep Wrangler JK 3.6L Street Pro Exhaust System PYPSJJ21S

This direct bolt-on, 2-1/2" diameter mandrel-bent 409 stainless steel cat-back exhaust system features a Street Pro muffler that creates a deep rumble at idle, but mellows out during acceleration. Offers the highest ground clearance of any aftermarket system in the market. Limited lifetime warranty.




2018-19 Jeep Wrangler JL 3.6L Stubby Exhaust System PYPSJJ27R

The direct bolt-on 2-1/2" diameter mandrel-bent 409 stainless steel cat-back exhaust system features an aggressive sound thanks to the Race Pro muffler and a turn-down hidden rear exit. Limited lifetime warranty.



1975-76 Mopar A-Body 2.5" Crossmember-Back System w/ X-Pipe PYPSMA910SE

The 2-1/2" diameter 409 stainless steel crossmember-back exhaust system features an X-pipe design with idle rumbling Street Pro dual mufflers. Limited lifetime warranty.



NEW PRODUCTS



Ford Ring & Pinion Sets

Ford 8.8" diameter, 30-spline.



Part No.	Description	Price
RIC49-0210-1	3.55 Ratio	
RIC49-0211-1	3.73 Ratio	
RIC49-0212-1	3.91 Ratio	
RIC49-0213-1	4.09 Ratio	
RIC49-0214-1	4.56 Ratio	
RIC49-0215-1	4.88 Ratio	

Ford 8.8" Differential Installation Kit



RIC83-1047-1

Part No.	Description	Price
RIC83-1047-1	(2) Koyo Tapered Bearings (Carrier, Front and Rear Pinion), Brush, Cover Gasket (or RTV), Crush Sleeve (or Preload Shim Pack), Marking Compound, Pinion Nut, Pinion Seal, Thread Locking Compound	
RIC83-1047-B	Brush, Cover Gasket (or RTV), Crush Sleeve (or Preload Shim Pack), Marking Compound, Pinion Nut, Pinion Seal, Ring Gear Bolts, Shims (Pinion, Carrier), Thread Locking Compound	



A-Pillar LED Light Mounts

These mounting kits fit the Rigid 4" 360-Series, D-Series, and Radiance light pods. Stainless steel construction with a UV- and abrasion-resistant powder-coated finish.



RIG46717

Part No.	Description	Price
RIG46717	2019-22 Ram 1500 Truck	
RIG46719	2019-22 Ram 2500/3500 Truck	
RIG46721	2021-22 Ford Bronco	

2021-22 Ford Bronco 40" SR-Series PRO Straight LED Light Bar Mounting

Stainless steel construction with a UV- and abrasion-resistant powder-coated finish specifically designed for the all-new Ford Bronco.



RIG46723

RIG46725

Part No.	Description	Price
RIG46723	Roof Mount	
RIG46725	Roof Rack Mount	





1962-68 Chevy II/1969-74 Chevy Nova Master Cylinder With Proportioning Valve

Improves the braking power for classic and muscle car applications. These complete disc/drum and disc/disc vehicle-specific master cylinder and proportioning valve kits include brake lines and applicable hardware. 4-Port. Black finish.

Part No.	Description	Price
RSDB1871	Disc/Drum, OE Master Cylinder Cover	
RSDB1872	Disc/Disc, OE Master Cylinder Cover	
RSDB5671	Disc/Drum, Screw-On Master Cylinder Cover	
RSDB5672	Disc/Disc, Screw-On Master Cylinder Cover	



1967-72 Chevy/GM Truck Front Disc Brake Conversion Brake Booster and Master Cylinder Combo

New cast iron master cylinder with brake booster. Includes proportioning valve, bracket, brake line, pedal extension and applicable mounting hardware.

Part No.	Description	Price
8" Brake Booster		
RSDG86810572	Disc/Disc, 1" Bore	
RSDG86810971	Disc/Drum, 1-1/8" Bore	
9" Slimline Brake Booster		
RSDG96720572	1" Bore, Disc/Disc	
RSDG96720971	1-1/8" Bore, Disc/Drum	
RSDG96810572	1" Bore, Disc/Disc, Low-Rise Booster Bracket	
RSDG96810971	1-1/8" Bore, Disc/Drum, Low-Rise Booster Bracket	
RSDG96820572	1" Bore, Disc/Disc, Low-Rise Booster Bracket	
RSDG96820971	1-1/8" Bore, Disc/Drum, Low-Rise Booster Bracket	
11" Brake Booster		
RSDG16720572	1967-72 Chevy/GM Truck, 1" Bore	
RSDG16720971	1967-72 Chevy/GM Truck, 1" Bore, Low Rise Booster Bracket	
RSDG16820572	1967-72 Chevy/GM Truck, 1-1/8" Bore	
RSDG16820971	1967-72 Chevy/GM Truck, 1-1/8" Bore, Low-Rise Booster Bracket	



1967-72 Chevy/GM Truck Firewall Mount Power Booster Bracket - GTO

RSDBBK067



1967-72 Chevy/GM Low-Rise Brake Booster Firewall Bracket

RSDBBK068



NEW PRODUCTS

1967-72 Chevy/GM Truck Hydro Boost Upper Assembly Kit

Includes new cast iron master cylinder, booster, proportioning valve, bracket, brake line, pedal extension, and applicable mounting hardware.

Part No.	Description	Price
RSDGHB670572	1" Bore, Natural	
RSDGHB670971	1-1/8" Bore, Natural	
RSDJHB675171	1-1/8" Bore, Chrome	
RSDJHB675672	1" Bore, Chrome	



Hydro-Boost Unit

Part No.	Description	Price
RSDHBU1	Long Rod	
RSDHBU2	Short Rod	



Proportioning Valve

Brass. Painted black.



Part No.	Description	Price
RSDPV71B	Without Sensor	
RSDPV72B	With Sensor	
RSDPVK71BLK	Without Sensor, with Bracket	
RSDPVK72BLK	With Sensor, with Bracket	



Argo Manufacturing Co.

GM Metric Caliper Bracket for AMC Pacer Spindle

ARGAU929-10.5

Engineered for use with the popular 1975-80 AMC Pacer spindle that is legal on most Modifieds, bracket allows using a GM Metric caliper and 10.5" dia. rotor.



Rear Spoiler for 2015-21 Ford Mustang

ROU422064

Race-inspired rear wing is constructed from durable ABS plastic and is notched for maximum rear visibility. Engineered to fit all 2015-21 Mustang Coupes, spoiler installation requires no fitting or trimming. Low-gloss black finish. Spoiler is sold complete with templates, hardware, and high-quality adhesive tape.



Front Grille Kit for 2018-22 Ford Mustang

ROU422275

Personalize while adding an aggressive appearance to any 2018-22 Ford Mustang. Front grille is constructed from durable injection-molded ABS plastic, has a high-gloss black finish, and features signature "R" badging. Grille utilizes the OEM mounting locations and includes all hardware.



Performance Cat-Back Exhaust for 2021-22 Ford F-150

ROU422266

Cat-back kit, designed to fit all 2021-22 Ford F-150 with 141"-163" wheelbase, reduces exhaust back pressure and adds a race-inspired exhaust tone. Mandrel-bent, corrosion-resistant 304 stainless system provides exceptional flow and long-lasting durability. Includes side-exit 304 stainless dual exhaust tips and required hardware.



Cold Air Intake Kit for 2021-22 Ford Bronco 2.3/2.7L

ROU422233

Large-capacity cold air intake is designed with the off-road enthusiast in mind, delivering engine protection from the dirty, abrasive air that is common when riding out on rocks and trails. A built-in clear monitoring window allows visual inspection without the need for disassembly. Fits all 2021-22 Bronco 2.3/2.7L.



Performance Axle-Back Exhaust for 2021-22 Ford Bronco 2.3/2.7L

ROU422234

Durable, stainless steel exhaust kit adds a deep, aggressive tone and improved performance, while a high-clearance, high-flow muffler increases off-road capability. System fits all 2021-22 Bronco 2.3/2.7L, and includes a removable exhaust tip to allow greater departure angles when required.



NEW PRODUCTS



LSXHR 103mm LS Intake Manifold

FST146303

Designed for use in conjunction with GM LS cathedral port cylinder heads, lightweight polymer manifold has been optimized to make power from 5,000-7,500 RPM using a 103mm throttle body. Suited to naturally-aspirated or boosted applications, manifold features a compound fuel injector angle that aims the spray pattern for ideal atomization. Includes a set of "tall" removable velocity stacks that may be replaced with "medium" or "short" units, purchased separately.



Chrysler Gen. III 5.7L Hemi High-Volume Oil Pump


MELM342HV

Completely new oil pump fits all 2003-08 Gen. III 5.7L Hemi engines and delivers 20% additional volume. Pump is assembled using a 60 PSI spring, and is supplied with optional 50 PSI and 65 PSI springs.



Honda 1.5/2.0L DOHC Oil Pumps

New direct-replacement oil pumps are available to fit 1.5 and 2.0L DOHC engines. Pumps are standard volume and pressure.



Part No.	Description	Price
MELM571	Honda 1.5L, 2018-20 Clarity; 2015-20 Fit; 2019-20 Insight	
MELM572	Honda 2.0L, 2016-20 Civic	

Ford 6.4L Power Stroke Diesel Oil Pump

MELM564

A direct replacement, standard volume and standard pressure pump for 2008-10 Ford 6.4L Power Stroke diesel engines.



GM LS Oil Pressure Relief Valve

MELMOPR100

Replaces the OEM oil pressure relief valve in 2007-18 GM LS 4.8, 5.3, 6.0, and 6.2L engines.



GM LS/LT Oil Galley Barbell Plugs

Direct replacement, "barbell" style oil galley plugs are manufactured from nylon. Offered for GM Gen. III/IV LS and Gen. V LT engines. Sold each.



Part No.	Description	Price
MELMOGP-100	2008-19 GM LS Gen. III/IV 5.3/5.7/6.0/6.2/7.0L	
MELMOGP-200	2014-20 GM LT Gen. V 4.3/5.3/6.2/6.6L	

X2 Series Fuel Pump Modules **NEW APPLICATIONS!**

Direct replacement, X2 Series fuel pump modules use a billet top hat and center section that mates with the OEM center section, and is fully compatible with the OEM fuel level sender. Modules are offered separately, or complete with dual DW300 fuel pumps that deliver 630 LPH at 58 PSI.



Part No.	Description	Price
DWK9-000-7050	X2 Series Module Only, Fits 2008-21 WRX/STI; 2008-18 Forester; 2005-09 Legacy; 2008-14 Impreza	
DWK9-301-7050	X2 Series Module with Dual DW300 Fuel Pumps, Fits 2008-21 WRX/STI; 2008-18 Forester; 2005-09 Legacy; 2008-14 Impreza	
DWK9-000-7002	X2 Series Module Only, Fits 2010-15 Chevy Camaro 3.7/6.2L	
DWK9-301-7002	X2 Series Module with Dual DW300 Fuel Pumps, Fits 2010-15 Chevy Camaro 3.7/6.2L	

650 LPH Brushless In-Line External Fuel Pump with Controller

High-output, 650 LPH in-line electric fuel pump features a brushless design that reduces friction and heat, thereby increasing pump efficiency and reliability. Pump is offered with choice of PWM (Pulse-Width Modulation), or single speed/dual speed controller. Sold complete with wiring harness, and necessary hardware.



Part No.	Description	Price
DWK9-650-C103	650 LPH Fuel Pump with PWM Controller	
DWK9-650-C105	650 LPH Fuel Pump with Single-Speed/Dual-Speed Controller	



Throttle Position Sensor/Potentiometer AIMX05SNRP972

Often utilized to gather data relating to throttle position, a rotary potentiometer measures rotational displacement between a fixed point and a movable one. Sensor has a mechanical range of up to 130°.



4-Way Data Hub Connection and Configuration for Aim Loggers AIMX08HUB010

External expansion module allows increasing the range of data available for analysis, while reducing required vehicle wiring. Four-way data hub includes 40 cm cable.



NEW PRODUCTS

Install Kit for DW650iL Brushless Fuel Pump DWK9-0950

Includes the necessary high-pressure hose, screen, fittings, and clamps to install a DW650iL fuel pump for in-tank use.



Billet Aluminum Fuel Rail Kits

Billet aluminum fuel rails help deliver smooth, uninterrupted fuel flow. Sold complete with required hardware.



Part No.	Description	Price
Fuel Rails		
DWK7-202	Fits 2005-06 Pontiac GTO LS2/LS3; 2006-07 Cadillac CTS-V; 2008-13 Corvette; 2010-15 Camaro SS; 2014-17 Chevy SS	
DWK7-204	Fits 2012-15 Camaro ZL1/LSA/LS9; 2008-13 Cadillac CTS-V; 2009-13 Corvette ZR1	
DWK7-302 *	Fits 2005-10 Ford Mustang GT 4.6 2V	
DWK7-304 *	Fits 2005-10 Ford Mustang GT 4.6 3V	
Fuel Rails with Crossover		
DWK7-203	Fits 2005-06 Pontiac GTO LS2/LS3; 2006-07 Cadillac CTS-V; 2008-13 Corvette; 2010-15 Camaro SS; 2014-17 Chevy SS	
DWK7-205	Fits 2012-15 Camaro ZL1/LSA/LS9; 2008-13 Cadillac CTS-V; 2009-13 Corvette ZR1	
DWK7-303 *	Fits 2005-10 Ford Mustang GT 4.6L 2V	
DWK7-305 *	Fits 2005-10 Ford Mustang GT 4.6L 2V	

*** Does not fit DOHC or supercharged applications.**

BEDRUG **\$CALL** NEXT GENERATION BEDLINERS

Impact Bed Mat for 2022 Ford Bronco BEDIMM225B5

This mat is designed to work with truck beds with a spray-in liner or no liner at all. The 3/4" thick padded mats turn the truck bed into a flat work surface. The anti-skid top surface TPO (thermopolyolefin) is gas, oil, chemical, and weather resistant. Includes a tailgate gap guard and a tailgate mat. Made in USA.



XLT Bed Mat for 2022 Ford Maverick BEDXLTBM225BS

This mat is designed to work with truck beds with a spray-in liner or no liner at all. The 3/4" polypropylene carpet offers a slip-resistant flat work space while offering a cushion for your knees while crawling around in the truck bed. Waterproof as well as chemical and stain resistant. Includes a tailgate gap guard and a tailgate mat. Made in USA.



SHP Cylinder Heads For SB Chevy

A redesigned and improved version of the original SHP heads with improved casting methods that result in smooth as-cast runners and combustion chambers. Straight plug heads additionally feature spread exhaust ports, and full compatibility with most off-the-shelf components. Sold individually as bare or fully assembled.



DRT126122

Part No.	Description	Intake Runner	Comb. Chamber	Int. Valve	Exh. Valve	Valve Spring Dia./Type	Price
DRT126121	Assembled	180cc	64cc	2.02"	1.60"	1.250"/Single	
DRT126122	Assembled	180cc	64cc	2.02"	1.60"	1.437"/Dual	
DRT126211	Bare	180cc	72cc	2.02"	1.60"	N/A	
DRT126221	Assembled	180cc	72cc	2.02"	1.60"	1.250"/Single	
DRT126222	Assembled	180cc	72cc	2.02"	1.60"	1.437"/Dual	
DRT126311	Bare	200cc	64cc	2.02"	1.60"	N/A	
DRT126322	Assembled	200cc	64cc	2.02"	1.60"	1.437"/Dual	
DRT126411	Bare	200cc	72cc	2.02"	1.60"	N/A	
DRT126422	Assembled	200cc	72cc	2.02"	1.60"	1.437"/Dual	

SHP Cylinder Heads For SB Ford

Now available for small block Ford, SHP cylinder heads include improved casting methods that result in smooth as-cast runners and combustion chambers. Exhaust ports are raised .135", while retaining the OEM bolt pattern. Compatible with most 20° aftermarket pistons. Sold individually as bare or fully assembled.



DRT128225

Part No.	Description	Intake Runner	Comb. Chamber	Int. Valve	Exh. Valve	Valve Spring Dia./Type	Price
DRT128111	Bare	175cc	58cc	2.02"	1.60"	N/A	
DRT128121	Assembled	175cc	58cc	2.02"	1.60"	1.250"/Single	
DRT128122	Assembled	175cc	58cc	2.02"	1.60"	1.437"/Dual	
DRT128211	Bare	205cc	58cc	2.02"	1.60"	N/A	
DRT128215	Bare	205cc	58cc	2.05"	1.60"	N/A	
DRT128221	Assembled	205cc	58cc	2.02"	1.60"	1.250"/Single	
DRT128222	Assembled	205cc	58cc	2.02"	1.60"	1.437"/Dual	
DRT128225	Assembled	205cc	58cc	2.05"	1.60"	1.437"/Dual	
DRT128315	Bare	205cc	62cc	2.05"	1.60"	N/A	
DRT128325	Assembled	205cc	62cc	2.05"	1.60"	1.437"/Dual	



Rift

NOW STOCKING BLACK!

Entry-level helmet is lightweight, affordable, and has an exceptional field of vision. Offering superior driver comfort, Rift includes a Kevlar chin strap, polycarbonate shield, and M6 head-and-neck restraint anchors.



Size	Part No.	Price
X-Small	GFR13010XSMBK	
Small	GFR13010SMLBK	
Medium	GFR13010MEDBK	
Large	GFR13010LRGBK	
X-Large	GFR13010XLGBK	
XX-Large	GFR13010XXLBK	



Lithium Powersports Batteries

Eliminates the problems typically associated with lead-acid batteries including sulfation, activation, acid, and maintenance. Ideal for motorcycles, ATV's, UTV's, etc., batteries may be recharged to provide enough starting power in minutes. Active protection feature protects against over-charging, extreme heat, short-circuit, over-discharge and extreme cold. Multi-terminal configuration allows front, side, top, and female installations.



NOCNLP30

Part No.	Description	Price
NOCNLP5	Group 5 Battery, 250 Amps, 1.5 Lbs.	
NOCNLP9	Group 9 Battery, 400 Amps, 2.3 Lbs.	
NOCNLP14	Group 14 Battery, 500 Amps, 2.5 Lbs.	
NOCNLP20	Group 20 Battery, 600 Amps, 3.7 Lbs.	
NOCNLP30	Group 30 Battery, 700 Amps, 5.0 Lbs.	

SB Chevy 1980-95/Dart SHP Chevy II Oil Pan MOR20213

Core-based steel pan is designed exclusively for 1962-67 Chevy II's (without power steering) that utilize a 1980-95 small block Chevy or Dart SHP block with passenger's side dipstick provisions. Pan is 9" deep, includes a 6-qt. capacity, and has a notched sump to clear the steering linkage.



BB Chevy Gen. V/VI Oil Pans with Dual Power Kickouts

Fully fabricated aluminum, big block Chevy Gen. V/VI 8" deep oil pans have dual power kickouts for superior windage control. Designed for Super class, Competition Eliminator, or brackets, pans have billet end seals, solid louvered windage trays, and allow up to 4.75" stroke with aluminum rods. Choose from traditional, or pan designed exclusively for 2016-up COPO Camaro that includes motor mount notches.



Part No.	Description	Price
MOR20382	Aluminum Oil Pan	
MOR20383	Aluminum Oil Pan, Notched for 2016-up COPO Camaro	

BB Chevy Gen. V/VI Oil Pan for COPO Camaro MOR20414

Steel 8" deep oil pan fits 2016-up COPO Camaro and most other GM chassis (except 1962-67 Chevy II, Vega/Monza, and 1955-57 Chevy). Pan allows up to 4.375" stroke, and includes trap door baffling, an anti-climb baffle, and a unidirectional windage tray for exceptional oil control. Sump has a 7-qt. capacity and features flat sides to eliminate header clearance issues.



Ford 4.6/5.4L Stock Replacement Oil Pan MOR20849

Cost-effective, OEM-replacement pan fits Ford 4.6/5.4L modular motors common to 1997-02 Expedition, 1997-03 F-150, 1997-99 F-250, and 1998-02 Lincoln Navigator. Heavy-duty, 16-gauge steel pan has a black epoxy powder-coated finish.



GM 4.3L V6 Road Race Oil Pan MOR21148

Engineered for GM 4.3L Ecotec3 LV1 engines used in road race, drag race, or drifting competition, fully fabricated 6" deep aluminum pan fits 1967-92 and 2010-up Camaro, 1968-78 Nova, 1965-72 Chevelle, 1978-88 G-body, and GM S10/S15. Seven-quart capacity pan includes a four trap door assembly built-into the sump, removable windage tray, and anti-slosh baffle. Pan has billet front sump, O-ringed rail that incorporates a removable pickup, and a location to mount the included spin-on oil filter adapter.



Dodge Gen. III Hemi Oil Pan MOR21165

Fabricated aluminum, 6-1/4" deep oil pan is engineered for Dodge 6.2L and Gen. III Hemi engines utilizing the Hellcat timing cover fit to Hellcat or Drag Pak Challengers. Pan has a 5-qt. capacity, billet pan rails, billet front seal area, and features "Drag Pak Race Proven" internals. May be used in other rear sump applications.



NEW PRODUCTS

SB Chevy Dry Sump Oil Pan MOR21545

Designed for Asphalt Late Models, fully fabricated 4-1/4" deep aluminum dry sump pan includes (3) -12AN female pickups, a large kickout for improved oil control, billet end seals, inspection bung with plug, and magnetic drain plug. Pan fits Lefthander and Port City Asphalt Late Model chassis, and may be used with others.



BB Chevy Mark IV Marine Deep Sump Oil Pans

Suitable to marine, tractor pulling, or mud drags, big block Chevy 10" deep sump oil pans are designed for Mark IV applications. Offered in fully fabricated or core-based versions, pans include large 10" deep x 14" long sumps, passenger's side kickouts, removable anti-slosh baffles, (2) 1/2" NPT drainbacks, (2) 1/2" NPT drain plugs, and 12-qt. capacities. Fully-fabricated pan includes billet end seals, and clearance for up to 4.75" stroke with aluminum rods. Recommended for use with MOR22172 oil pump.



Part No.	Description	Price
MOR20033	Core-Based Steel Pan	
MOR20034	Fully-Fabricated Steel Pan	

BB Chevy Billet Aluminum Oil Pump MOR22172

Engineered for use with MOR20033 or MOR20034 10" deep oil pans, billet 6061-T6 aluminum pump includes a mounting boss area that is three times larger to prevent breakage, and an enlarged inlet to prevent cavitation. An incorporated thrust bearing increases durability. Will clear up to 4.750" stroke with most steel rods.



Dart LS Next/LS SHP Oil Pump MOR22118

Manufactured for use with aftermarket engine blocks that include priority main oiling such as the Dart LS Next or LS SHP, oil pump is CNC-machined and hard coat anodized for maximum performance and durability. Pump has a standard pressure spring installed, which can be swapped with the included high-pressure spring.



Single-Stage External Oil Pump MOR22322

Lightweight and efficient, tri-lobe reverse rotation oil pump is designed to mount on the left front side of the engine in door cars using the incorporated bracket. Single-stage pump has a rear, 3/8" hex fuel pump drive with 1:1 ratio that accepts popular 3-bolt, 1.450" I.D. fuel pump swivel clamps. Includes -16AN inlet and -12AN outlet fittings.



Pro Mod Dry Sump Tank MOR22657

Aluminum 13" tall x 6-1/4" wide x 17" long tank is designed to mount in the front of Pro Mod-type race cars, and can be adapted to many popular drag race door car chassis. Incorporated through-bolt supports provide eased mounting and increased unit strength. Tank includes -12AN inlet, 1" male outlet, 3/4" male hose nipple for venting, and an O-ringed drain bung.



Ford Spin-On Oil Filter Adapter MOR23709

Adapter is designed for use with Dart Small Block Ford, World Products Man-O-War, and other Ford engines that require a longer screw-in fitting. May be used with MOR23820 oil filter block-off plate, MOR23675 accumulator adapter, MOR23693 oil cooler/filter sandwich adapter, and MOR23682 remote oil filter rotating 90° adapter.



GM LS Bolt Kits

Moroso now offers a variety of hard-to-find bolt kits for popular GM LS engines. All kits include clear zinc-finished, flange-head, Grade 10.9 fasteners (metric equivalent to Grade 8 SAE).



Part No.	Description	MOR38711	Price
MOR38151	Oil Pump Pickup Bolt, Each		
MOR38306	Oil Pump Bolt Kit, 5-Pcs.		
MOR38307	Lifter Valley Plate Bolt Kit, 11-Pcs.		
MOR38591	Timing Cover Bolt Kit, 8-Pcs.		
MOR38711	Header Bolt Kit, M8 x 1.25 x 25mm Long, 12-Pcs.		
MOR38804	Bellhousing Bolt Kit, 8-Pcs.		
MOR38805	Rear Seal Cover, 12-Pcs.		

Ford 4.6/5.4L Header Bolt Kit MOR38712

Designed to fit Ford 4.6/5.4L modular engines, kit includes (16) 8mm, Grade 10.9 flange-head bolts. Clear zinc finished for corrosion resistance.



Multipurpose Fuel Hose

SAE 30R7KX spec fuel hose is suitable for low-pressure applications including carbureted fuel line, fuel return line, PCV connection, etc. Safe for use with leaded or unleaded gasoline, diesel fuels, and blends of ethanol.



Part No.	Description	Price
MOR65185	3/8" I.D. x 10' Length	
MOR65186	3/8" I.D. x 25' Length	
MOR65187	1/2" I.D. x 10' Length	
MOR65188	1/2" I.D. x 25' Length	

SB Chevy Valve Covers with Oilers MOR68360

Fabricated aluminum small block Chevy valve covers are tall enough to clear all popular rocker arms, and include spring oilers with removable/replaceable .025" jets. One-piece billet rail construction provides effective sealing and greater vacuum. Valve covers are less logo, fit all 13° to 23° cylinder heads, and include necessary -4AN fittings. Sold as a pair.



BB Chevy Valve Covers for Edelbrock 12°/18° Cylinder Heads MOR68464

Big block Chevy fabricated aluminum valve covers, engineered for use with Edelbrock 12° and 18° cylinder heads, feature a one-piece billet, CNC-machined rail for superior sealing. Valve covers are 3" tall, sufficient to clear most popular rocker arms. Sold as a pair.




COPO Camaro Valve Cover Breather Adapter MOR68860

Specialized adapter allows 2013-up COPO or MOR68857 breather to be installed into a valve cover with a 1.22" hole. Includes billet aluminum adapter and valve cover grommet.



Coil Mount Brackets for BB Chevy MOR72394

Stainless steel brackets mount on the exhaust side of the valve cover to provide a coil mounting solution for a big block Chevy converted to individual coils. Each bracket accepts four GM LS2 and later coil packs. Sold complete with fasteners. Recommended for use with MOR73733 spark plug wires. Sold as a pair.



Ultra 40 Spark Plug Wire Set for BB Chevy with Individual Coils MOR73733

Custom-fit 8mm spark plug wire set is designed for use with MOR72394 coil mount brackets that accept GM LS2 and later coil packs. Each wire is terminated with spark plug boots on one end and matching coil boots on the opposite end. Sold as a set.



Pro Mod/Door Car Rear Mount Breather Tank MOR85395

Large, 1-1/2 gallon aluminum breather tank is 11" tall x 7" diameter and is designed to mount in the rear of the chassis. Tank includes (2) 1-1/4" male hose inlets, 2" exhaust tube, and a -12AN drain plug.



Mechanic's Gloves with Moroso Logo MOR99010

Durable mechanic's gloves offer protection and comfort when performing a variety of tasks. Easy to put on or take off, gloves are exceptionally breathable and Latex-free. Sold as a pair.



Premium Series Flexplates

Designed as an upgrade for OEM units, flexplates are precision manufactured and premium e-coated for a corrosion-resistant finish. Spin balanced to meet OEM specifications for both internally and externally balanced engines. NOT SFI-approved.

Part No.	Engine	Tooth	Balance	Converter Bolt Pattern	Price
TCI399601	SB Chevy	153	External	10.75"	
TCI399602	SB Chevy	168	Internal	Dual	
TCI399603	SB Chevy 400	168	External	Dual	
TCI399604	BB Chevy 454	168	External	Dual	
TCI399605	BB Chevy	153	Internal	Dual	
TCI399606	SB Chevy, 1986-94	168	External	Dual	
TCI529102	SB Ford 221-302	157	Ext./50 oz.	10.5"	
TCI529103	SB Ford 221-302	157	Ext./28 oz.	10.5"	
TCI529104	SB Ford 221-302	164	Neutral	11.5"	
TCI529105	SB Ford 221-302	164	Ext./28 oz.	11.5"	



Billet Steel SFI-Approved Flexplate for Dodge Gen. III Hemi

TCI149186
Designed for the Gen. III Hemi, internal balance, 131-tooth flexplate is manufactured from .177" thick 4140 steel for unsurpassed strength and durability. The 10.75" converter bolt pattern provides compatibility with most torque converters, or may be used to adapt the Gen. III Hemi to an older automatic transmission. Meets SFI 29.1 specs.



Triple-Disc, Bolt-Together Torque Converters for Dodge Gen. III Hemi

Dodge 8HP70 torque converters feature a triple-disc, lock-up configuration and a bolt-together design for easy disassembly/assembly and do-it-yourself stall changes. Patent-pending converter includes the latest generation carbon friction material with a significantly higher torque capacity.



Part No.	Description	Price
TCI147000	8HP70 Torque Converter, 2,600-2,800 RPM Stall	
TCI147001	8HP70 Torque Converter, 3,000-3,200 RPM Stall	



Cold Case Radiators

A division of Max Performance Inc., a leading supplier of auto restoration Part No.s, Cold-Case Radiators® is an aluminum radiator specialist for the muscle car and truck markets. All radiators feature a 100% TIG-welded, oversize two-row design, and are covered by a limited lifetime warranty. Driver side inlet/passenger side outlet.



Part No.	Description	Price
CCRF0T583A	2008-10 Ford F250/350 Powerstroke 6.4L, 7"W x 27-1/2"H x 3"D	
CCRF0T584A	2011-16 Ford F350/350/450 Powerstroke 6.7L, 38-4/10"W x 27-1/2"H x 2"D	
CCRGMT575A	2006-10 Chevy/GMC Duramax 6.6L, 34"W x 23" H x 3"D	
CCRGMT576A	2011-16 Chevy/GMC Duramax 6.6L, 33-1/2"W x 27-1/2"H x 2-3/4"D	
CCRMOP756A	1967-69 Mopar A-Body, 25-1/2"W x 22-1/2"H x 3"D, 1-1/2" Inlet, 1-1/2" Outlet	
CCRMOP756A-5	1967-69 Mopar A-Body, 25-1/2"W x 22-1/2"H x 3"D, 1-1/2" Inlet, 1-3/4" Outlet	



Stackable 5-Gallon Utility Containers

Molded polyethylene, 5-gallon utility containers help save space in the trailer or garage by stacking. Containers include a molded-in, female brass insert and male vent valve that provides ample air flow when utilizing the Flo-Fast Pump, or pouring without a spout. Includes cap. Sold each or in cases of three, utility containers are available in four colors.



Part No.	Description	Price
Red		
FLF50101	Each	
FLF50101-3	Case of 3	
Blue		
FLF50102	Each	
FLF50102-3	Case of 3	
White		
FLF50103	Each	
FLF50103-3	Case of 3	
Yellow		
FLF50104	Each	
FLF50104-3	Case of 3	



Pro 600 CDI Power Grid Ignition Box MSD8001

Engineered specifically for the most demanding racing applications, single channel ignition is designed for use with the MSD Power Grid. Compatible with 4-, 6-, or 8-cylinder engines, ignition is capable of delivering up to 600 mj with over 250 microseconds of spark duration, resulting in 20% more spark energy and a 40% increase in spark duration. A diagnostic LED detects the presence of faults for eased troubleshooting.



HVC III Ignition Coil

Designed for use with the Pro 600 Single Channel, MSD 7, or MSD 8 ignition controls, coil has an iron U-core design with segmented bobbin for improved voltage distribution. Innovative third terminal allows secondary current sensing for each spark when used with the Pro 600 ignition. Offered in red or black, coil is sold complete with vibration mounts and mounting hardware.



Part No.	Description	Price
MSD82612	Red	
MSD826123	Black	

SB Ford 289-302 Billet Distributor with Bronze Gear MSD85827

High-performance distributor must be used with an MSD 6, 7, or 8-series ignition, and combines a billet aluminum housing with a steel shaft, easy-to-adjust mechanical advance, race rotor, alkyl cap, and pre-installed bronze gear that is engineered for use with a billet roller camshaft. Fits all small block Ford 289-392.



Hall-Effect Crank Trigger Kits for GM LS

The most accurate method of triggering EFI, kits use a Hall-Effect sensor that is less susceptible to noise and interference. Powerful magnets are embedded in a 3/8" thick billet aluminum trigger wheel and are used in conjunction with rigid aluminum brackets, preventing flex and timing fluctuations.



Part No.	Description	Price
MSD8618	GM LS Gen. III/IV, 6.56" Crank Trigger Wheel	
MSD8619	GM LS Gen. III/IV, 7.25" Crank Trigger Wheel	
MSD8623-MSD	GM LS Gen. III/IV, 8" Crank Trigger Wheel	

NEW PRODUCTS Holley

Sniper 340 LPH Fuel Pump Modules

Direct-fit fuel pump modules flow 340 LPH, and will drop right into the OEM fuel tank to provide sufficient flow for EFI applications with up to 700 horsepower, or carbureted applications with up to 900 horsepower. Each kit includes black anodized module, filter sock, flange O-ring, and lock ring.



Part No.	Description	Price
HL12-353	1988-98 Chevy/GMC Truck	
HL12-356	1990-97 Ford Short Bed Truck with OEM EFI	
HL12-357	1990-97 Ford Long Bed Truck with OEM EFI	

Sniper 525 LPH Fuel Pump Module For 1988-98 Chevy/GMC Truck HL12-354

High output, Sniper 525 LPH module delivers enough fuel for EFI applications with up to 1,200 horsepower, or carbureted applications with up to 1,450 horsepower. Kit includes black anodized module, filter sock, flange O-ring, and lock ring.



SB Ford 4150 Single-Plane Fuel-Injection Intake Manifold

Engineered for use with 4150-style throttle body EFI systems, small block Ford 289-302 (8.2" deck ht.) manifold delivers a broad power band all the way up to 7500 RPM. Improved plenum design and runner geometry helps provide improved air flow. Accepts most stock hardware and accessory brackets. Offered separately, or complete with black anodized fuel rails and rail brackets.



Part No.	Description	Price
HL300-276	SB Ford EFI Manifold with Fuel Rails	
HL300-277	SB Ford EFI Manifold Only	

Terminator X High-Impedance 220 lb/hr Performance Fuel Injectors HL522-228X

High-performance, PICO/EV6 injectors are high impedance and are designed for use with saturated drivers. Sold in a pack of eight, injectors flow 220 lb/hr at 43 PSI of base fuel pressure, and are compatible with most OEM LS intake manifolds including LSA, LS3, LS7, L76, L92, L98, L99, and LS9. Sold as a 8-pack.



Holley EFI Bench-Top Harness HL558-127

Wiring harness is designed for bench top testing or set-up of Holley HP, Dominator, Terminator X, Terminator X Max, and Sniper ECU's, and 7" dashes. Also helpful for ECU diagnostics, firmware updating, or to preconfigure dash layouts. Power and ground flying leads need to be connected to power supply (not included).





E-Street Cylinder Heads for GM LS

Among the best values currently available, E-Street LS cathedral-port cylinder heads feature the same basic port design as OEM and accept all stock components, while utilizing patented "Clean Cast Technology" that eliminates casting flaws and provides a smoother internal surface finish for improved air flow. Sold per pair, bare or fully assembled.

Part No.	Description	Int. Volume	Comb. Chamber	Int. Valve	Exh. Valve	Valve Spring	Max. Valve Lift	Price
EDE77617	Bare	210cc	64cc	2.00"	1.55"	N/A	N/A	
EDE7763	Assembled	210cc	64cc	2.00"	1.55"	Single/1.29"	.570"	
EDE7764	Assembled	210cc	64cc	2.00"	1.55"	Dual/1.29"	.660"	



2018-21 Jeep Wrangler JL Hyperform Fender Flares BUS11950-07

This set of four flat-style fender flares is constructed from a unique UV-resistant thermoplastic compound and are designed for the trail as well as the pavement. No drill installation. Includes necessary hardware. Limited lifetime warranty.



Wireless Air Compressor AIR73000EZ

Simple, convenient design offers air pressure adjustment for any aftermarket air spring. This on-board heavy-duty air compressor system features the EZ Mount system and is controlled by AirLift's intuitive free mobile app (iOS and Android). Two-year limited warranty, or a four-year limited warranty when installed by an Air Lift authorized installer, and 60-day, no-questions-asked, money-back guarantee.



Evolution Hydraulic Roller Lifters

Revolutionary, patented hydraulic roller lifters utilize a self-contained hydraulic cartridge within a thick-wall lifter body and reduced oil volume, resulting in more consistent bleed rates, increased response and reduced lifter noise. Sold in sets of 16.



Part No.	Description	Price
COM85001-16	SB Chevy 1987-Up Hyd. Roller; Gen. III/IV LS; Gen. V LT, No Link Bar	
COM85301-16	SB Chevy 265-400, Retro-Fit	
COM85401-16	BB Chevy 396-454, Retro-Fit	
COM85601-16	Chrysler 5.7/6.1/6.2/6.4L Gen. III Hemi, No Link Bar	
COM85701-16 *	Olds 350-455; Pontiac 350-455, Retro-Fit	
COM89201-16	SB Chrysler 273-360, Retro-Fit	
COM89211-16	BB Chrysler 383-440, Retro-Fit	
COM89311-16	SB Ford 289-351W, Retro-Fit	
COM89341-16	BB Ford 429-460; 390-428, Retro-Fit	
COM89571-16	GM LS III 1997-Up Hyd. Roller; LSX; Warhawk, Retro-Fit	
COM89591-16	Chevy 348-409, Retro-Fit	

* Will not clear stock Olds 350 intake or Edelbrock 3711 intake.

High Energy Timing Chain for 2009-Up Dodge Hemi with VVT COM3050

Cost-effective replacement timing chain is offered separately as the OEM cam phaser and crank gear may be reused. Fits all 2009-up 5.7L and 6.4L, and 2015-up 6.2L, all with VVT (Variable Valve Timing).



BSR Shaft Rocker Arm Set for GM LT Gen. V COM1987-16

Patent-pending, BSR (Bushed Shaft Rocker) system, engineered for GM LT Gen. V engines, increases valve train stiffness, thereby improving dynamics and durability. Kit includes (16) rocker arms, (8) rocker shafts, and necessary hardware.



Rocker Arm Stud Kits

Premium-quality stud kits offer improved retention and clamping loads for a stiffer valve train capable of higher RPMs. Sold in sets of 16.



Part No.	Description	Price
COM4582-KIT	GM LS1/LS3	
COM4587-KIT	GM LS7/LT	
COM4589-KIT	Dodge Gen. III Hemi	



Pro-ACT Ultra-Premium Ceramic Brake Pads

Premium, ceramic brake pads deliver smooth, consistent braking through a wide range of driving conditions including critical panic stops, while virtually eliminating noise, vibration, harshness, and unwanted brake dust. Sold in axle sets.

Part No.	Application	Price
Front Brake Pads		
AKEACT1005A	2004-09 Lexus RX330/350/400h; 2006-07 Toyota Highlander Hybrid	
AKEACT1044	2013-18 Ford Escape; 2005-18 Ford Focus; 2004-13 Mazda 3; 2007-15 Mazda 5; 2007-13 Volvo C30; 2004-11 Volvo S40; 2006-11 Volvo V50	
AKEACT1047	2005-10 Ford Escape; 2008-11 Mazda Tribute; 2005-10 Mercury Mariner	
AKEACT1056	2005-20 Chrysler 300; 2009-20 Dodge Challenger; 2006-20 Dodge Charger; 2005-08 Dodge Magnum	
AKEACT1058	2013-14 Chrysler 200; 2005-19 Chrysler 300; 2013-14 Dodge Avenger; 2008-09 Dodge Caliber; 2009-20 Dodge Challenger; 2006-20 Dodge Charger; 2005-08 Dodge Magnum	
AKEACT1078A	2006-07 Subaru B9 Tribeca; 2014-18 Subaru Forester; 2006-19 Subaru Legacy; 2010-19 Subaru Outback; 2008-14 Subaru Tribeca; 2015-20 Subaru WRX	
AKEACT1081	2005-14 Ford Mustang	
AKEACT1084A	2007-09 Chrysler Aspen; 2005-10 Dodge Dakota; 2007-09 Dodge Durango; 2006-10 Dodge Ram 1500; 2006-09 Mitsubishi Raider; 2011-18 Ram 1500; 2011 Ram Dakota	
AKEACT1089A	2007-12 Acura RDX; 2010-11 Honda Accord Crosstour; 2007-16 Honda CR-V; 2012-15 Honda Crosstour; 2005-17 Honda Odyssey; 2016-18 Subaru Legacy; 2019-21 Acura RDX	
AKEACT1092	2007 Cadillac Escalade; 2007 Chevy Avalanche; 2005-07 Chevy Silverado/ GMC Sierra; 2007 Chevy Suburban; 2007 Chevy Tahoe/GMC Yukon	
AKEACT1094	2015-18 Chevy City Express; 2005-20 Nissan Frontier; 2011-15 Nissan Leaf; 2013-20 Nissan NV200; 2005-12 Nissan Pathfinder; 2005-15 Nissan Xterra; 2009-12 Suzuki Equator	
AKEACT1102	2009-14 Acura TL; 2015-20 Acura TLX; 2006-14 Honda Ridgeline	
AKEACT1118	2006-20 Lexus GS; 2006-20 Lexus IS; 2015-20 Lexus RC	
AKEACT1160	2006-11 Chevy HHR; 2006-12 Chevy Malibu; 2008-10 Pontiac G5 GT; 2006-10 Pontiac G6; 2007-09 Saturn Aura	
AKEACT1164	2006-12 Ford Fusion; 2007-12 Lincoln MKZ; 2006 Lincoln Zephyr; 2006-13 Mazda 6; 2006-2011 Mercury Milan	
AKEACT1169A	2008-17 Buick Enclave; 2009-17 Chevy Traverse; 2007-17 GMC Acadia; 2007-10 Saturn Outlook	
AKEACT1178A	2006-15 Lexus IS250	
AKEACT1184A	2011-17 Lexus CT200h; 2013 Scion iQ EV; 2020 Toyota Corolla Hybrid; 2010-19 Toyota Prius; 2007-17 Toyota Yaris	
AKEACT1210A	2010-12 Lexus HS250h; 2009-10 Pontiac Vibe; 2008-15 Scion xB/xD; 2009-19 Toyota Corolla; 2009-14 Toyota Matrix; 2012-17 Toyota Prius V; 2006-18 Toyota RAV4	
AKEACT1211A	2009-10 Pontiac Vibe; 2016 Scion iM; 2011-16 Scion tC; 2017-18 Toyota Corolla; 2009-13 Toyota Matrix; 2006-18 Toyota RAV4	
AKEACT1222A	2007-18 Lexus ES; 2008-18 Toyota Avalon; 2007-17 Toyota Camry	
AKEACT1258	2007-14 Ford Edge; 2007-15 Lincoln MKX; 2007-12 Mazda CX-7; 2007-20 Mazda CX-9	
AKEACT1273	2008-16 Chrysler Town & Country/Dodge Grand Caravan; 2009-13 Dodge Journey; 2007-11 Dodge Nitro; 2008-12 Jeep Liberty; 2007-18 Jeep Wrangler; 2012-15 Ram C/V; 2009-14 VW Routan	

Part No.	Application	Price
Front Brake Pads		
AKEACT1280	2007-20 Acura MDX; 2014-19 Acura RLX; 2010-13 Acura ZDX; 2009-20 Honda Pilot; 2017-20 Honda Ridgeline	
AKEACT1282	2007-19 Lexus LS	
AKEACT1286A	2006-13 Infiniti QX56; 2014-19 Infiniti QX80; 2007-15 Nissan Armada; 2008-15, 2007-19 Nissan Titan	
AKEACT1295	2015 Hyundai Sonata; 2010-15 Hyundai Tucson; 2014-16 Kia Cadenza; 2015-20 Kia Soul EV; 2011-16 Kia Sportage	
AKEACT1303	2008-11, 2013-20 Lexus LX570; 2008-11, 2013-20 Toyota Land Cruiser; 2008-19 Toyota Sequoia; 2007-19 Toyota Tundra	
AKEACT1324A	2015-17 Lexus NX; 2010-17 Lexus RX; 2008-19 Toyota Highlander; 2011-19 Toyota Sienna	
AKEACT1325A	2008-13 Toyota Highlander	
AKEACT1338B	2008-13 Nissan Rogue; 2010-13 Suzuki Kizashi	
AKEACT1346	2009-13 Infiniti FX50; 2008-13 Infiniti G37; 2011-13 Infiniti M37/M56; 2014-16 Infiniti Q50/ Q60/Q70/QX70; 2009-16 Nissan 370Z	
AKEACT1363	2008-20 Cadillac Escalade; 2013-16 Cadillac XTS; 2008-13 Chevy Avalanche; 2009-14 Chevy Express 1500; 2007-19 Chevy Silverado 1500/ GMC Sierra 1500; 2008-20 Chevy Suburban 1500; 2007-20 Chevy Tahoe/GMC Yukon; 2009-14 Chevy Savana	
AKEACT1394B	2009-20 Honda Fit	
AKEACT1399	2009-18 Dodge/Ram 2500; 2009-18 Dodge/Ram 3500	
AKEACT1401	2009-16 Toyota Venza	
AKEACT1411 *	2010-20 Chevy Express 3500/2010-20 GMC Savana; 2011-19 Chevy Silverado 2500/GMC Sierra 2500; 2011-19 Chevy Silverado 3500/2011-19 GMC Sierra 3500	
AKEACT1414	2010-20 Ford Expedition; 2010-20 Ford F-150; 2010-20 Lincoln Navigator	
AKEACT1444	2011-15 Hyundai Sonata; 2011-15 Kia Optima	
AKEACT1455	2011-20 Dodge Durango; 2011-20 Jeep Grand Cherokee	
AKEACT1539	2013-16 Scion FR-S; 2013-17 Subaru BRZ; 2016-17 Subaru Crosstrek; 2011-17 Subaru Forester; 2011-17 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback; 2013-15 Subaru XV Crosstrek; 2017 Toyota 86	
AKEACT1543	2012-16 Hyundai Azere; 2010-16 Hyundai Sante Fe; 2011-14 Kia Sorento	
AKEACT1543A	2011-16 Hyundai Elantra; 2012-16 Hyundai Veloster; 2014-17 Kia Forte	
AKEACT1589	2017-20 Chrysler Pacifica; 2012-16 Chrysler Town & Country; 2012-20 Dodge Grand Caravan; 2012-20 Dodge Journey; 2020 Jeep Gladiator; 2018-20 Jeep Wrangler; 2012-15 Ram C/V; 2012-14 VW Routan	
AKEACT1611	2013-19 Ford Explorer; 2013-19 Ford Flex; 2013-19 Ford Taurus; 2013-16 Lincoln MKS; 2013-19 Lincoln MKT	
AKEACT1623	2014-17 Jeep Cherokee; 2013-20 Mazda CX-5	
AKEACT1629A	2011-20 Dodge Durango; 2011-20 Jeep Grand Cherokee	
AKEACT1649	2013 Infiniti JX35; 2014-20 Infiniti QX60; 2015-20 Nissan Murano; 2013-20 Nissan Pathfinder	
AKEACT1650	2013-19 Nissan Altima; 2014-17 Nissan Leaf	
AKEACT1654	2013-17 Honda Accord; 2016-19 Honda HR-V	

* Some applications may be rear axle fitment.



Pro-ACT Ultra-Premium Ceramic Brake Pads - Cont.

Premium, ceramic brake pads deliver smooth, consistent braking through a wide range of driving conditions including critical panic stops, while virtually eliminating noise, vibration, harshness, and unwanted brake dust. Sold in axle sets.

Part No.	Application	Price
Front Brake Pads		
AKEACT1680	2013-20 Ford F-250; 2013-20 Ford F-350	
AKEACT1697	2016-20 Acura ILX; 2013-18 Acura RDX; 2014-19 Acura RLX; 2016-17 Honda Accord; 2017-20 Honda Civic	
AKEACT1736	2014-20 Infiniti Q50; 2017-20 Infiniti Q60; 2016-17, 2019-20 Infiniti QX50	
AKEACT1737	2014-19 Nissan Rogue	
AKEACT436	1998-2002 Toyota 4Runner; 1989-95 Toyota Pickup; 1998-99, 2004 Toyota Tacoma	
AKEACT465B	1997-05 Acura EL; 1996-05, 2012-15 Honda Civic	
AKEACT465D	1998-02 Honda Accord; 2006-11 Honda Civic; 2010-14 Honda Insight	
AKEACT476B	1996-98 Lexus SC300; 2000-2001 Toyota Camry; 1998-2003 Toyota Sienna	
AKEACT503A	1996-99 Acura CL/RL/TL; 1997-01 Acura Integra; 1991-95 Acura Legend; 1991-02 Honda Accord; 1997-01 Honda CR-V; 1993-01 Honda Prelude	
AKEACT691A	2003-06 Acura MDX; 2004-09, 2011-16 Nissan Quest	
AKEACT707A	1997-01 Lexus ES300, 1999-01 Lexus RX300; 1998-04 Toyota Avalon; 1997-01 Toyota Camry; 1999-03 Toyota Solara	
AKEACT772	1998-07 Lexus LX470; 1998-07 Toyota Land Cruiser	
AKEACT784	2000-05 Cadillac DeVille; 2006-11 Cadillac DTS; 2002-06 Chevy Avalanche 2500; 2003-20 Chevy Express 2500/3500/GMC Savana 2500/3500; 2001-07 Chevy Silverado 1500 HD; 1999-2010 Chevy Silverado 2500/GMC Sierra 2500 HD; 2001-10 Chevy Silverado 3500/GMC Sierra 3500; 2000-13 Chevy Suburban 2500; 2003-09 Hummer H2	
AKEACT785 *	2002-06 Cadillac Escalade; 2003-05 Chevy Astro/GMC Safari; 2002-06 Chevy Avalanche 1500; 1999-07 Chevy Silverado 1500/GMC Sierra; 1999-10 Chevy Silverado 2500/GMC Sierra 2500; 2000-2006 Chevy Suburban 1500; 2000-13 Chevy Suburban 2500; 2000-06 Chevy Tahoe/GMC Yukon 1500; 2000-13 GMC Yukon 2500; 2003-09 Hummer H2	
AKEACT787A	2001-03 Acura CL; 2006-11 Acura CSX; 1999-2004 Acura RL/TL; 2004-14 Acura TSX; 2008-12 Honda Accord	
AKEACT812	2001-02 Toyota Sequoia; 2000-03 Toyota Tundra	
AKEACT815A	2002-2005 Infiniti G20/G35; 2001-04 Infiniti I30/I35; 2003-05 Nissan 350Z; 2000-2013 Nissan Altima; 2009-14 Nissan Cube; 2011-16 Nissan Juke; 2000-03 Nissan Maxima; 2007-19 Nissan Sentra; 2007-12 Nissan Versa; 2009-13 Suzuki SX4	
AKEACT822A	2004-06 Scion xA/xB; 2001-09 Toyota Prius; 2001-05 Toyota Echo; 2001-05 Toyota MR2	
AKEACT866A	2011-14 Chrysler 200; 2001-05, 2007-10 Chrysler Sebring; 2008-14 Dodge Avenger; 2007-12 Dodge Caliber; 2001-05 Dodge Stratus; 2007-17 Jeep Compass; 2007-17 Jeep Patriot; 2001-12 Mitsubishi Eclipse; 2001-012 Mitsubishi Galant; 2008-14 Mitsubishi Lancer; 2003-04, 2007-20 Mitsubishi Outlander	
AKEACT884A	2001-07 Toyota Highlander	
AKEACT888A	2008-13 Infiniti EX35/EX37; 2005-13 Infiniti G25/ G35/G37; 2003-13 Infiniti M35/M37/M45/M56; 2002-16 Infiniti Q40/Q45/Q70/Q70L; 2014-16 Infiniti QX70; 2006-09 Nissan 350Z; 2009-16 Nissan 370Z; 2011-14 Nissan Murano; 2008-12 Nissan Pathfinder	
AKEACT906B	2005-07 Toyota Avalon; 2005-06 Toyota Camry; 2004-10 Toyota Sienna; 2004-08 Toyota Solara; 2005-15 Toyota Tacoma	

* Some applications may be rear axle fitment.

Part No.	Application	Price
Front Brake Pads		
AKEACT906C	2002-06 Lexus ES300/ES330	
AKEACT908A	2002-06 Toyota Camry	
AKEACT914A	2013-15 Acura ILX; 2003-17 Honda Accord; 2012-20 Honda Civic; 2002-16 Honda CR-V; 2003-11 Honda Element; 2013-14 Honda Fit	
AKEACT914B	2003-08 Honda Pilot	
AKEACT923A	2003-08 Pontiac Vibe; 2003-08 Toyota Corolla; 2003-08 Toyota Matrix	
AKEACT924A	2010 Buick Allure; 2016-19 Buick Cascada; 2010-16 Buick LaCrosse; 2011-17 Buick Regal; 2014-16 Cadillac ELR; 2010-17 Chevy Equinox; 2014-20 Chevy Impala; 2013-16 Chevy Malibu; 2010-17 GMC Terrain; 2010 Saab 9-5 Aero	
AKEACT929A	2005-06 Saab 9-2X; 2003-06 Subaru Baja; 2003-10 Subaru Forester; 2002-10 Subaru Impreza; 2002-12 Subaru Legacy; 2002-12 Subaru Outback	
AKEACT969A	2003-06 Infiniti FX35/FX45; 2005-06 Nissan Altima; 2004-08 Nissan Maxima; 2003-07, 2009-11 Nissan Murano	
AKEACT976	2003-21 Lexus GX460/GX470; 2003-21 Toyota 4Runner; 2007-14 Toyota FJ Cruiser; 2001-07 Toyota Sequoia; 2005-21 Toyota Tacoma; 2000-06 Toyota Tundra	
Rear Brake Pads		
AKEACT1012A	2004-11 Ford F-150; 2006-08 Lincoln Mark LT	
AKEACT1037A	2011-14 Chrysler 200; 2007-10 Chrysler Sebring; 2008-14 Dodge Avenger; 2007-12 Dodge Caliber; 2007-17 Jeep Compass/Patriot; 2004-14 Mitsubishi Lancer; 2005-06 Mitsubishi Outlander	
AKEACT1057	2005-06, 2008-20 Chrysler 300; 2009-20 Dodge Challenger; 2006-20 Dodge Charger; 2005-08 Dodge Magnum	
AKEACT1077	2004-08 Dodge Ram 1500; 2000-08 Dodge Ram 2500/3500	
AKEACT1086A	2010-18 Acura RDX; 2010-11 Honda Accord Crosstour; 2005-16 Honda CR-V; 2012-15 Honda Crosstour EX	
AKEACT1088A	2005-10 Honda Odyssey	
AKEACT1090	2005-12 Acura RL	
AKEACT1100	2005-20 Nissan Frontier; 2005, 2008-15 Nissan Xterra; 2009-12 Suzuki Equator	
AKEACT1103	2009-14 Acura TL; 2006-14 Honda Ridgeline	
AKEACT1113	2006-13 Lexus GS; 2006-13 Lexus IS	
AKEACT1114A	2013-17 Subaru BRZ; 2016-20 Subaru Crosstrek; 2009-18 Subaru Forester; 2008-20 Subaru Impreza; 2005-14 Subaru Legacy; 2005-14 Subaru Outback; 2015-20 Subaru WRX; 2013-15 Subaru XV Crosstrek	
AKEACT1124	2013-16 Scion FR-S; 2006-07 Subaru B9 Tribeca; 2013-20 Subaru BRZ; 2014-17 Subaru Forester; 2010-14 Subaru Legacy; 2010-14 Subaru Outback; 2008-14 Subaru Tribeca; 2017-20 Toyota 86	
AKEACT1161	2006-12 Ford Fusion; 2007-12 Lincoln MKZ; 2006 Lincoln Zephyr; 2006-13 Mazda 6; 2006-11 Mercury Milan	
AKEACT1194A	2007-14 Cadillac Escalade; 2007-13 Chevy Avalanche; 2007-13 Chevy Silverado/GMC Sierra; 2007-14 Chevy Suburban; 2007-14 Chevy Tahoe/GMC Yukon	
AKEACT996A	2004-09 Lexus RX330/RX350/RX400h; 2004-07 Toyota Highlander	

Performance Ultra-Premium Ceramic Brake Pads



Engineered exclusively for applications subjected to extreme braking conditions including law enforcement, fleet, trucks, SUV's, and demanding drivers. Brake pads deliver smooth, safe stopping power, while offering low noise, vibration, and harshness. Sold in axle sets.



Part No.	Application	Price
Front Brake Pads		
AKEASP1001*	2004-08 Acura TL; 2012-17 Buick Regal; 2013-19 Cadillac ATS; 2004-07, 2014-17 Cadillac CTS; 2013-18 Cadillac XTS; 2014-19 Chevy Corvette; 2015-16 Dodge Viper; 2005-06 Ford GT; 2007-14 Ford Mustang; 2017-21 Honda Civic; 2010-15 Hyundai Genesis Coupe; 2004-14 Mitsubishi Lancer; 2004-06, 2008-14 Subaru Impreza; 2015-17 Subaru WRX STI; 2004-07 Volvo S60 R/V70 R; 2016-18 Tesla S/X	
AKEASP1118	2006-18 Lexus GS; 2006-20 Lexus IS; 2015-20 Lexus RC	
AKEASP1149	2005-10, 2012-20 Chrysler 300; 2008-20 Dodge Challenger; 2006-20 Dodge Charger; 2006-08 Dodge Magnum; 2006-10 Jeep Grand Cherokee	
AKEASP1363	2008-20 Cadillac Escalade; 2013-16 Cadillac XTS; 2008-13 Chevy Avalanche; 2009-14 Chevy Express/GMC Savana; 2007-19 Chevy Silverado 1500/GMC Sierra 1500; 2008-20 Chevy Suburban; 2007-20 Chevy Tahoe/GMC Yukon	
AKEASP976	2003-21 Lexus GX; 2003-21 Toyota 4Runner; 2007-14 Toyota FJ Cruiser; 2001-07 Toyota Sequoia; 2005-21 Toyota Tacoma; 2000-06 Toyota Tundra	
Rear Brake Pads		
AKEASP1053	2004-07, 2009-19 Cadillac CTS; 2005-11 Cadillac STS; 2010-18 Chevy Camaro; 2005-20 Chrysler 300; 2008-20 Dodge Challenger; 2006-20 Dodge Charger; 2018-20 Dodge Durango; 2006-08 Dodge Magnum; 2010-15 Hyundai Genesis Coupe; 2006-10, 2012-20 Jeep Grand Cherokee; 2016-18 Tesla S/X	
AKEASP606A	2003-20 Lexus GX460/470; 2003-20 Toyota 4Runner; 2007-14 Toyota FJ Cruiser; 2001-07 Toyota Sequoia	
AKEASP905A	2003-13 Infiniti EX35/37/FX35/37; 2003-13 Infiniti G25/G35/G37; 2006-13 Infiniti M35/37/45/56; 2014-18 Infiniti Q50/60/70; 2014-19 Infiniti QX50/60/70; 2003-09 Nissan 350Z; 2009-20 Nissan 370Z; 2002-20 Nissan Altima; 2011-17 Nissan Juke; 2011-20 Nissan Leaf; 2004-14, 2016-20 Nissan Maxima; 2003-18 Nissan Murano; 2013-20 Nissan Pathfinder; 2004-09, 2011-16 Nissan Quest; 2008-20 Nissan Rogue; 2007-19 Nissan Sentra	

* Some applications may be rear axle fitment.

NEW PRODUCTS

Euro Ultra-Premium Ceramic Brake Pads

Designed to meet the requirements of European car owners, Euro Ultra-Premium brake pads provide exceptional braking with a smooth, firm pedal. Pads additionally deliver extended rotor and pad life along with low dust. Sold in axle sets.



Part No.	Application	Price
Front Brake Pads		
AKEEUR1061	2008-13 BMW 128i; 2006 BMW 325i; 2007 BMW 328i; 2006 BMW 330i/330xi; 2004-07 BMW 525i; 2009-16 BMW Z4	
AKEEUR1107	2006-13 Audi A3; 2007-12 VW Eos; 2010-11 VW Golf; 2006-10 VW GTI; 2006-13 VW Jetta; 2006-10 VW Passat; 2006-09 VW Rabbit	
AKEEUR1123	2006-09 Mercedes E350/E500/E550; 2005-11 Mercedes AMG G55; 2007-12 Mercedes GL; 2006-11 Mercedes ML320/ML350/ML450/ML500/ML550; 2006-13 Mercedes R320/R350/R500	
AKEEUR1204A	2002-15 Mini Cooper S; 2011-15 Mini Cooper Countryman; 2013-15 Mini Cooper Paceman; 2002-15 Mini Cooper Base	
AKEEUR1223	2007-14 Mercedes CL550/CL600; 2007-13 Mercedes S350/S400/S550/S600; 2009-12 Mercedes SL550	
AKEEUR1294	2016-18 BMW X4; 2007-18 BMW X5; 2008-19 BMW X6	
AKEEUR1308	2007-20 Mini Cooper; 2009-14 Mini Cooper Clubman; 2013-15 Mini Cooper Coupe/Roadster	
AKEEUR1322	2009-16 Audi A4; 2008-17 Audi A5; 2013-16 Audi allroad Premium; 2008-11 Audi S4/S5	
AKEEUR1322A	2012-15 Audi A6; 2014-15 Audi A7; 2009-16 Audi Q5; 2012-16 Audi S4; 2012-17 Audi S5	
AKEEUR1340A	2008-09 Mercedes C230; 2010-15 Mercedes C250; 2008-12 Mercedes C300; 2012-15 Mercedes SLK250	
AKEEUR1342	2012-15 Mercedes C250/C300/C350; 2015-17 Mercedes CLS400; 2010-17 Mercedes E250/E350/E400/E550; 2012-20 Mercedes SLK250/300/350	
AKEEUR1375	2015-18 Audi Q3; 2012-20 VW Passat; 2009-18 VW Tiguan	
AKEEUR1406	2010-15 Mercedes GLK250/GLK350	
AKEEUR1409	2010-16 BMW 535i/550; 2012-19 BMW 650; 2009-15 BMW 740/750	
AKEEUR1504	2011-16 BMW 528i	
AKEEUR1505	2011-16 BMW 528i/535; 2012-18 BMW 640i; 2012-16 BMW ActiveHybrid 5	
AKEEUR1546	2012-18 Audi Quattro; 2014-17 Audi SQ5	
AKEEUR1549	2016-18 Audi A6; 2011-18 A6/A7/A8 Quattro	
AKEEUR1561	2011-18 BMW X3/X4	
AKEEUR1561A	2014-20 BMW 228i; 2012-18 BMW 320/328/330; 2014-20 BMW 428/430	
AKEEUR1629	2013-16 Mercedes GL350/GL450; 2016-18 Mercedes GLE300/GLE350/GLE400; 2017-18 Mercedes GLS450; 2012-15 Mercedes ML250/ML350/ML400	
AKEEUR1892	2016-20 BMW X1; 2016-20 Mini Cooper Clubman; 2017-20 Mini Cooper Countryman	
AKEEUR681	1997-03 BMW 530/540; 1995-01 BMW 740; 2000-03 BMW M5; 2000-06 BMW X5	
AKEEUR781	1998-2006 BMW 323i/325; 1998-2008 BMW Z3/Z4	
AKEEUR847	2002-07 Mercedes C230/C32/C350/C55; 2001-06 Mercedes CL500/CL55/CL600; 2003-09 Mercedes CLK500/CLK55/CLK550; 2005-11 Mercedes CLS500/CLS550; 2003-09 Mercedes E350/E500/E550; 2000-2005 Mercedes ML430/ML500/ML55; 2000-06 Mercedes S350/S430/S500/S55/S600; 1999-2012 Mercedes SL500/SL550/SL600; 2005-10 Mercedes SLK350/55	

Euro Ultra-Premium Ceramic Brake Pads - Cont.

Designed to meet the requirements of European car owners, Euro Ultra-Premium brake pads provide exceptional braking with a smooth, firm pedal. Pads additionally deliver extended rotor and pad life along with low dust. Sold in axle sets.



Part No.	Application	Price
Front Brake Pads		
AKEEUR918	2007-13 BMW 335; 2004-10 BMW 525/528/530/535/545/550; 2004-10 BMW 645/650; 2002-08 BMW 745/750/760; 2008-13 BMW M3; 2012-15 BMW X1; 2011-16 BMW Z4	
AKEEUR918A	2007-13 BMW 323/328; 2013-15 BMW X1	
AKEEUR946	2001-06 BMW 330; 2004-10 BMW X3; 2006-08 BMW Z4	
Rear Brake Pads		
AKEEUR1018A	2009-16 Audi A4; 2008-17 Audi A5; 2013-16 Audi allroad; 2009-16 Audi Q5	
AKEEUR1018B	2005-11 Audi A6; 2004-09 Audi A8 Quattro; 2013-16 Audi Q5; 2003-08 Audi RS4/RS6; 2004-16 Audi S4; 2008-17 Audi S5; 2007-09 Audi S6/S8; 2014-17 Audi SQ5	
AKEEUR1042	2004-07 BMW 525; 2008-10 BMW 528; 2004-07 BMW 530; 2008-10 BMW 535	
AKEEUR1042A	2007-18 BMW X5; 2010-19 BMW X6	
AKEEUR1095	2008-10 Chevy Cobalt SS; 2013-18 Ford C-Max; 2018-21 Ford EcoSport; 2013-16 Ford Escape; 2012-18 Ford Focus; 2014-20 Ford Transit Connect; 2006-08 Jaguar S-Type; 2005-09 Jaguar Super; 2009-15 Jaguar XF; 2005-15 Jaguar XJ; 2007-15 Jaguar XK; 2004-13 Mazda 3; 2006-10, 2012-15 Mazda 5; 2006-09 Pontiac Solstice; 2003-11 Saab 9-3; 2007-13 Volvo C30; 2006-13 Volvo C70; 2004-11 Volvo S40; 2005-11 Volvo V50	
AKEEUR1099A	2005-09 Land Rover LR3; 2006-12 Land Rover Range Rover	
AKEEUR1122	2005-18 Mercedes G55/G63/G65; 2007-12 Mercedes GL320/GL350/GL450/GL550; 2006-11 Mercedes ML320/ML350/ ML450/ML500/ML550; 2006-12 Mercedes R320/R350/RR500	
AKEEUR1170	2006-12 BMW 330/335; 2013-15 BMW X1	
AKEEUR1267	2008-13 BMW 128i; 2006-13 BMW 323i/325xi/328i/328xi; 2012-15 BMW X1	
AKEEUR1307A	2013-15 Land Rover LR2; 2012-15 Land Rover Range Rover; 2011-17 Volvo S60; 2007-16 Volvo S80; 2015-17 Volvo V60; 2008-10 Volvo V70; 2010-16 Volvo XC60; 2008-16 Volvo XC70	
AKEEUR1309A	2008-15 Mini Cooper Base; 2008-13 Mini Cooper Clubman; 2013-15 Mini Cooper Coupe/Roadster; 2008-15 Mini Cooper S	
AKEEUR1341	2008-09 Mercedes C230; 2010-15 Mercedes C250; 2008-14 Mercedes C300; 2008-15 Mercedes C350; 2010-14 Mercedes E350; 2015-17 Mercedes E400; 2010-17 Mercedes E550	
AKEEUR1348A	2005-10 Audi A3/A4/A6; 2015 Audi Q3; 2008-15 Audi TT; 2007-10 VW Eos; 2010 VW Golf; 2006-11 VW GTI; 2005-10 VW Jetta; 2006-10 VW Passat; 2006-09 VW Rabbit; 2009-18 VW Tiguan	
AKEEUR1456	2010-13 Audi A3 Quattro; 2012-13 VW Beetle; 2011-16 VW Eos; 2010-14 Golf; 2011-14 Jetta; 2012-15 VW Passat	
AKEEUR1469	2011-16 BMW 550; 2012-18 BMW 640/650; 2012-18 BMW M5/M6	
AKEEUR1473	2011-30 BMW 528/530/535; 2011-20 BMW X3/X4	

Euro Ultra-Premium Ceramic Brake Pads - Cont.

Designed to meet the requirements of European car owners, Euro Ultra-Premium brake pads provide exceptional braking with a smooth, firm pedal. Pads additionally deliver extended rotor and pad life along with low dust. Sold in axle sets.



Part No.	Application	Price
Rear Brake Pads		
AKEEUR1547A	2012-18 Audi A6; 2012-18 Audi A7; 2013-18 Audi RS5/RS7; 2013-18 Audi S6/S7; 2015-17 Porsche Macan	
AKEEUR1613	2014-16 BMW 228i; 2012-18 BMW 320/328/330; 2014-20 BMW 428/430	
AKEEUR1630	2014-19 Mercedes CLA45; 2013-16 Mercedes GL350/GL450/GL550; 2015-19 Mercedes GLA45; 2016-19 Mercedes GLE300/350/400/450/550; 2017-19 Mercedes GLS450/550; 2012-15 Mercedes ML350; 2012-17 Mercedes SLC43/ SLK55	
AKEEUR1630A	2016-18 Mercedes GLE300/GLE350/GLE400/GLE43; 2012-15 Mercedes ML250/ML350/400	
AKEEUR1656	2014-18 BMW 228/230; 2012-18 BMW 320/328/330/335/340; 2014-18 BMW 428/430/435/440; 2013-15 BMW ActiveHybrid 3; 2014-17 BMW M235/M240; 2015-18 BMW M2/M3/M4	
AKEEUR1692	2017-20 Land Rover Discovery; 2013-20 Land Rover Range Rover	
AKEEUR1762	2016-20 BMW X1/X2; 2016-20 Mini Cooper Clubman; 2017-20 Mini Cooper Countryman	
AKEEUR1880	2014-18 BMW 228/230; 2012-19 BMW 320/328/330/335/340; 2014-20 BMW 428/430/435/440; 2013-15 BMW ActiveHybrid 3; 2015-20 BMW M2/M3/M4 2014-20 BMW M235/240	
AKEEUR340B	1998-13 Audi A3/A4/A6/A8; Audi 2000-03 S4/S6; 2000-06 Audi TT; 1998-17 VW Beetle; 1999-02 VW Cabrio; 1999-06, 2011, 2015 VW Golf; 1998-05, 2010-18 VW Jetta; 1998-05 VW Passat	
AKEEUR683	2001-06 BMW 330; 2007 BMW 525; 1995-01 BMW 740/750; 2000-06 BMW M3/ M5; 2004-10 BMW X3/X5; 2000-08 BMW Z4/Z8; 2003-05 Land Rover Range Rover	
AKEEUR763	1995-2006 BMW 318/323/325; 2003-08 BMW Z4; 2000-09 Saab 9-5	
AKEEUR873	2003-07 Mercedes C230/C240/C280/C320/C350; 1998-09 Mercedes CLK320/CLK350/CLK430; 1996-03 Mercedes E300/E320/E420/E430/E55; 2005-11 Mercedes SLK300/SLK350	
AKEEUR919	2004-10 BMW 535/545/550; 2004-10 BMW 645/650; 2002-08 BMW 745/750/760; 2006-13 BMW M3/M5/M6; 2007-18 BMW X5/X6; 2011 BMW 1	
AKEEUR986	2003-14 Mercedes CL500/CL550/CL600; 2006-17 Mercedes CLS400/CLS500/CLS550; 2003-16 Mercedes E250/E320/E350/E400/E500/ E550; 2003-13 Mercedes S350/S400/S430/S500/ S550/S600; 2003-12 Mercedes SL500/SL550	



Ultimate 15" Smooth Wheel Covers for Real Style Wheels

Molded high-impact plastic wheel covers include domed centers to improve aerodynamics and reduce mud packing, while the center hole and fasteners provide a secure fit. Designed for use with Real style wheels, covers are offered in bolt-on or quick fastener styles in a variety of colors.



Part No.	Description	Price
Bolt-On Wheel Covers		
DOM1006-B-BK	Black	
DOM1006-B-BL	Blue	
DOM1006-B-CHROME	Chrome	
DOM1006-B-FOR	Fluorescent Orange	
DOM1006-B-FYE	Fluorescent Yellow	
DOM1006-B-GRY	Gray	
DOM1006-B-OR	Orange	
DOM1006-B-PK	Pink	
DOM1006-B-PU	Purple	
DOM1006-B-RD	Red	
DOM1006-B-WH	White	
DOM1006-B-XG	Xtreme Green	
DOM1006-B-YE	Yellow	
Quick Fastener-Style Wheel Covers		
DOM1006-D-BK	Black	
DOM1006-D-BL	Blue	
DOM1006-D-CHROME	Chrome	
DOM1006-D-FOR	Fluorescent Orange	
DOM1006-D-FYE	Fluorescent Yellow	
DOM1006-D-GRY	Gray	
DOM1006-D-OR	Orange	
DOM1006-D-PK	Pink	
DOM1006-D-PU	Purple	
DOM1006-D-RD	Red	
DOM1006-D-WH	White	
DOM1006-D-XG	Xtreme Green	
DOM1006-D-YE	Yellow	

Universal Wheel Ring

Manufactured from corrosion-resistant stainless steel, 15" wheel ring allows mounting a wheel cover into a non-beadlock rim. Choose from bolt-on, or quick fastener versions.



Part No.	Description	DOM1015-D	Price
DOM1015-BOLT	15" Wheel Ring, Bolt-On		
DOM1015-D	15" Wheel Ring, Quick Fastener		

Micro Sprint 13" Wheel Cover DOM1016-BK

Manufactured from high-impact plastic, wheel cover is designed exclusively for use with 13" Mini Sprint wheels. Smooth cover features a domed center to improve aerodynamics and reduce mud packing. Black only. Sold each.



NEW PRODUCTS

Ultimate 15" Vented Wheel Covers for Real Style Wheels

Similar to the above high-impact wheel covers but in a vented design to aid brake cooling. Domed centers increase aerodynamics and reduce mud packing, while the center hole and fasteners provide a secure fit. Designed for use with Real style wheels, covers are offered in bolt-on or quick-fastener styles in a variety of colors.



Part No.	Description	Price
Bolt-On Wheel Covers		
DOM1007-B-BK	Black	
DOM1007-B-BL	Blue	
DOM1007-B-CHROME	Chrome	
DOM1007-B-FOR	Fluorescent Orange	
DOM1007-B-FYE	Fluorescent Yellow	
DOM1007-B-GRY	Gray	
DOM1007-B-PK	Pink	
DOM1007-B-PU	Purple	
DOM1007-B-RD	Red	
DOM1007-B-WH	White	
DOM1007-B-XG	Xtreme Green	
DOM1007-B-YE	Yellow	
Quick Fastener-Style Wheel Covers		
DOM1007-D-BK	Black	
DOM1007-D-BL	Blue	
DOM1007-D-CHROME	Chrome	
DOM1007-D-FOR	Fluorescent Orange	
DOM1007-D-FYE	Fluorescent Yellow	
DOM1007-D-GRY	Gray	
DOM1007-D-PK	Pink	
DOM1007-D-PU	Purple	
DOM1007-D-RD	Red	
DOM1007-D-WH	White	
DOM1007-D-XG	Xtreme Green	
DOM1007-D-YE	Yellow	

Formed Rock Guard Your Choice -

Designed to protect the drivers of Dirt Late Models and Modifieds from dirt, debris, and wind, high-impact molded plastic rock guard is 4-1/2" tall, very lightweight, and provides a clean, professional appearance. Offered in flat black or red.



Part No.	Description
DOM901-FBK	Flat Black
DOM901-RD	Red

Modified Radiator Shroud DOM554

Engineered to increase cooling effectiveness on Modifieds, high-impact plastic radiator shroud is 19-1/2" wide x 19" tall x 4" deep. Black only. Sold each. **NOTE: Dimensions do not cover radiator tanks.**





Ultimate 15" Smooth Wheel Covers

Virtually identical to the previous high-impact wheel covers but designed for use with wheels manufactured by Aero, Bart, Bassett, Weld Racing, etc. Smooth covers with domed centers improve aerodynamics and reduce mud packing, while the center hole and fasteners provide a secure fit. Covers are offered in bolt-on or quick-fastener styles in a variety of colors.



Part No.	Description	Price
Bolt-On Wheel Covers		
DOM1012-B-BK	Black	
DOM1012-B-BL	Blue	
DOM1012-B-CHROME	Chrome	
DOM1012-B-FOR	Fluorescent Orange	
DOM1012-B-FYE	Fluorescent Yellow	
DOM1012-B-GRY	Gray	
DOM1012-B-OR	Orange	
DOM1012-B-PK	Pink	
DOM1012-B-PU	Purple	
DOM1012-B-RD	Red	
DOM1012-B-WH	White	
DOM1012-B-XG	Xtreme Green	
DOM1012-B-YE	Yellow	
Quick Fastener-Style Wheel Covers		
DOM1012-D-BK	Black	
DOM1012-D-BL	Blue	
DOM1012-D-CHROME	Chrome	
DOM1012-D-FOR	Fluorescent Orange	
DOM1012-D-FYE	Fluorescent Yellow	
DOM1012-D-GRY	Gray	
DOM1012-D-OR	Orange	
DOM1012-D-PK	Pink	
DOM1012-D-PU	Purple	
DOM1012-D-RD	Red	
DOM1012-D-WH	White	
DOM1012-D-XG	Xtreme Green	
DOM1012-D-YE	Yellow	

NEW PRODUCTS

Ultimate 15" Vented Wheel Covers

Virtually identical to the previous high-impact wheel covers but in a vented design for added brake cooling. Manufactured for use with wheels manufactured by Aero, Bart, Bassett, Weld Racing, etc., wheel covers domed centers improve aerodynamics and reduce mud packing, while the center hole and fasteners provide a secure fit. Covers are offered in bolt-on or quick-fastener styles in a variety of colors.



Part No.	Description	Price
Bolt-On Wheel Covers		
DOM1013-B-BK	Black	
DOM1013-B-BL	Blue	
DOM1013-B-CHROME	Chrome	
DOM1013-B-FOR	Fluorescent Orange	
DOM1013-B-FYE	Fluorescent Yellow	
DOM1013-B-GRY	Gray	
DOM1013-B-PK	Pink	
DOM1013-B-PU	Purple	
DOM1013-B-RD	Red	
DOM1013-B-WH	White	
DOM1013-B-XG	Xtreme Green	
DOM1013-B-YE	Yellow	
Quick Fastener-Style Wheel Covers		
DOM1013-D-BK	Black	
DOM1013-D-BL	Blue	
DOM1013-D-CHROME	Chrome	
DOM1013-D-FOR	Fluorescent Orange	
DOM1013-D-FYE	Fluorescent Yellow	
DOM1013-D-GRY	Gray	
DOM1013-D-PK	Pink	
DOM1013-D-PU	Purple	
DOM1013-D-RD	Red	
DOM1013-D-WH	White	
DOM1013-D-XG	Xtreme Green	
DOM1013-D-YE	Yellow	



Wide 5/2" 5x5 Spindle/Axle Alignment Fixture DRP97142

Combining a rigid, 6061-T6 aluminum body with a stainless steel shaft, fixture threads on to Wide 5 or 2" 5x5 front or rear spindle pins and determines maximum perpendicularity tolerance +/- .005" and maximum concentricity tolerance +/- .004".



PerformanceFit ComboUnit Radiator GRICU70008LS

All-in-one radiator/electric fan is specifically designed when swapping a GM LS engine into an 1964-72 GM "A" or 1978-88 GM "G" body. Aluminum radiator is 33.25" wide x 18.62" tall overall, includes two rows of 1-1/4" tubes, an integrated auto transmission cooler, 1-1/4" inlet, 1-1/2" outlet, and twin 16" electric fans with shroud.





RL-600/700 Brake Fluid

Synthetic DOT 4 brake fluid. Engineered to maintain viscosity and lubricity at extreme temperatures. RL600 offers 600°F dry, 400°F wet protection. For ultra extreme conditions, RL-700 offers 700°F dry protection. Guards against vapor lock and brake fading. Blends with and meets specifications of DOT 3, DOT 4, DOT 5.1.



Part No.	Description	Price
RED90404	RL-600, 16.9-oz. Bottle	
RED90414	RL-600, Case of (6) 16.9-oz. Bottles	
RED90405	RL-700, 16.9-oz. Bottle	
RED90415	RL-700, Case of (6) 16.9-oz. Bottles	

NEW PRODUCTS



Replacement Bladders for Saver Cells

Manufactured from molded "hard rubber", all-fuel bladders are crash-resistant and deformable. Meets FIA FT3 standards. Sold complete with composite nut ring installed.

Part No.	Description	Price
ATLMB115	Bladder for ATLSA115 15-Gallon Saver Cell	
ATLMB122C	Bladder for ATLSA122C 22-Gallon Saver Cell	



Two-Link Mounts

New and improved, two-link mounts provide added versatility. Common to Sport Mods, new design allows for a different location of the two-link rod, changing the drive angle, mounting straight ahead and 2" x 2" down along with the standard locations. The new ring design improves plate retention and allows different bushing spacing, while a new shock plate allows 4"-7" of shock drop, and maintains the same typical front-to-rear split.



Part No.	Description	Price
BSB7362	Right Two-Link Mount	
BSB7363	Left Two-Link Mount	

Double-Shear Two-Link Mounts

Popular on IMCA Sport Mods that require two-link mounts, unit features a welded steel, double shear design for added strength. Mount allows running 6" and 7" shock drops, and includes 1/2" holes and is sold complete with bushings to fit 5/8" rod ends. Spring cup sold separately.



Part No.	Description	Price
BSB8010	Right Two-Link Mount	
BSB8011	Left Two-Link Mount	

Two-Link Mounts

Rigid steel two-link mount is popular on B-Mods, and includes a split-ring design to allow different spacing from side-to-side for true customization. Mount is sold complete with shock mount, lower bushing, and bolt.



Part No.	Description	Price
BSB7360	Right Two-Link Mount	
BSB7361	Left Two-Link Mount	

Chain Limiter with Bushing

BSB3160

Engineered for use on the left rear, durable steel chain limiter allows up to 1" of adjustment and utilizes a bushing to provide increased traction under acceleration.



IMCA-Legal Chain Limiter

BSB3170

Designed to meet IMCA rules, limiter allows performing quick, easy chain adjustments in 1/4" increments using a pull pin. Includes 12" of chain.



Spring Mounts and Cup

BSB8012

Used when it's desired to add a spring cup to 3" dia. axle tubes, kit secures the spring 1/2" above the axle tube. May be welded 2-1/2" forward, 2-1/2" back, or directly on the axle centerline.



Ride Height Gauge

BSB9038

Gauge hangs from lower control arm bolt, allowing accurate ride height measurements. Gauge adjusts from 7"-9" and includes two magnets to hold in place.



Max Torque GM Caliper Bolt

BSB10110

Hardened steel bolt, designed for use with GM calipers, reduces flex for improved brake performance. Sold each.





NEW PRODUCTS

North American Sportsman Bodies

Engineered for use with popular metric-style chassis, bodies are easier to mount and provide a newer, modern look. Bodies include high-impact plastic fenders and quarter panels, and the two-piece greenhouse includes a built-in cowl. Choose from black or white.

North American Sportsman Re-Skin Body Package

FIV12001-10000-X

Includes aluminum doors, bumper cover, fenders, quarter panels, nose, and rocker panels. Specify body panel color, rocker panel color, and nose style (Chevrolet Camaro or Ford Mustang).

North American Sportsman Complete Body Kit

FIV12001-10600-X

Includes all of the components in the Re-Skin Body Package in addition to aluminum deck lid, aluminum deck lid hold-down strip, composite front and rear greenhouse, composite hood, ultra-glass composite cowl air insert, coated 1/8" windshield, coated .093" quarter windows, uncoated .093" rear window, and four-piece 6.5" x 60"/70" spoiler kit. Specify body panel color, rocker panel color, and nose style (Chevrolet Camaro or Ford Mustang).

Part No.	Description	Price
Black		
FIV12001-21033-BL	Aluminum Door, Left	
FIV12001-21033-BR	Aluminum Door, Right	
FIV12001-45051-BL	Bumper Cover, Left	
FIV12001-45051-BR	Bumper Cover, Right	
FIV12001-45051-B	Bumper Cover, Complete	
FIV12001-27351-BL	Quarter Panel, Left	
FIV12001-27351-BR	Quarter Panel, Right	
FIV12001-51311-B	Greenhouse Front	
FIV12001-51511-B	Greenhouse Rear	
FIV12001-33011-B	Hood, Composite	
White		
FIV12001-21033-WL	Aluminum Door, Left	
FIV12001-21033-WR	Aluminum Door, Right	
FIV12001-27351-WL	Quarter Panel, Left	
FIV12001-27351-WR	Quarter Panel, Right	
FIV12001-51311-W	Greenhouse Front	
FIV12001-51511-W	Greenhouse Rear	
FIV12001-33011-W	Hood, Composite	

North American Sportsman Windows

Part No.	Description	Price
FIV12001-61151	Rear Molded Window, .093"	
FIV12001-63253	Molded Windshield, .125"	
FIV12001-65153-L	Molded Quarter Window, Left	
FIV12001-65153-R	Molded Quarter Window, Right	





Front Coil-Over Conversion for 1963-87 C10 Trucks with Upper Control Arm

Kits provide adjustable ride height and up to 5" drop when paired with popularly available drop spindles without having to replace the entire front chassis. Tubular upper and lower control arms provide up to 7° of increased caster for improved driveability. Offered with single- or double-adjustable coil-over shocks in two different spring rates, kits are complete with upper and lower control arms, coil-over shocks, high-travel springs, and hardware.


NOTE: Kit installation requires use of a 1973-87 OEM or drop spindle.



Part No.	Description	Price
QA152611-D650	Double-Adjustable, 650-lb. Spring Rate	
QA152611-D850	Double-Adjustable, 850-lb. Spring Rate	
QA152611-S650	Single-Adjustable, 650-lb. Spring Rate	

Front Coil-Over Conversion for 1965-79 F100 Trucks QA152620-S500

Kit completely replaces the OEM front suspension of 1965-79 Ford F100 trucks, dramatically improving handling, while allowing fitment of larger wheels/tires, 3"-5" drop with included spindles, and precision ride height adjustments. Kit includes upper and lower crossmembers, upper and lower control arms, single-adjustable coil-over shocks, high travel 500-lb. rate springs, rack and pinion steering, and necessary hardware.



Drag Race Lower Control Arms for 1970-81 GM "F" Body QA152920

Offering increased positive caster and helping to reduce unsprung weight, tubular steel lower control arms fit all '70-81 GM "F" body, 1973-77 GM "A" body, 1975-79 GM "X" body, and 1978-96 GM "B" body cars. Suitable for race or street duty, arms are fitted with low-friction composite bushings and Ultimate ball joints. Sold per pair. **NOTE: Control arms are not compatible with OEM springs; must be used with coil-overs.**



Drag Race Control Arms for 1964-72 GM "A" Body

Equally suited to drag race or street applications, rigid tubular steel control arms offer increased positive caster and help to reduce unsprung weight. Control arms fit all 1964-72 GM "A" bodies and are fitted with low-friction composite bushings and Ultimate ball joints. Upper control arms additionally include billet aluminum cross shafts and adjustable drop stops. Sold per pair. **NOTE: Lower control arms are not compatible with OEM springs; must be used with coil-overs.**



Part No.	Description	Price
QA152922	Upper Control Arms	
QA152937	Lower Control Arms	

NEW PRODUCTS

GM Pro Coil Single-Adjustable Shock Absorber QA1GS501

Simultaneously adjustable for compression and rebound, lightweight billet aluminum shock is ride height adjustable, 100% dyno tested, serialized, and rebuildable. Fits all 1970-81 GM "F" body, 1964-67 GM "A" body, and 1955-57 Chevy. Coil-over spring sold separately. Sold each.



GM Pro Coil System QA1GS501-10400C

Update early GM muscle cars to modern coil-over suspension with precise rebound and ride height adjustments. Kit fits 1970-81 GM "F" body cars and includes conical front coil springs, threaded-body aluminum shocks, and required hardware. Street series kit includes 400-lb. rate springs, ideal for cars fitted with small block engines.



Rear Coil-Over Conversion Kits

Direct bolt-on rear coil-over conversion kits deliver improved handling while allowing precise ride height adjustments. Offered with single- or double-adjustable shock absorbers, kits are sold complete with threaded-body aluminum shocks, coil-over springs, specially designed mounting brackets, and required hardware.

Part No.	Description	Price
1964-72 GM "A" Body		
QA1RCK52336	Double-Adjustable Shocks, 150-lb. Rate	
1878-96 GM "B" Body		
QA1RCK52384	Single-Adjustable Shocks, 250-lb. Rate	



Head Restraint Pad Covers for 88/89 Series Racing Seats

Designed for use with 88/89 series intermediate 10°/18° layback containment seats, replacement right head restraint cover provides the driver with a tighter fit. Choose from black tweed covers that reduce width between the head restraint by 1" or 2". Each cover is sold complete with additional SFI-approved high-density foam and low-rebound comfort padding.



Part No.	Description	Price
KIR88-89RH1XP	1", Black Tweed	
KIR88-89RH2XP	2", Black Tweed	

Shoulder Restraint Cover for 88/89 Series Racing Seats KIR88-89RS1XP

Made for use with 88/89 series intermediate 10°/18° layback containment seats, replacement right shoulder restraint cover reduces shoulder width by 1". Black tweed cover is sold complete with added low-rebound comfort padding. Sold each.





Race Clutch Hydraulic Fluid

Fully synthetic Race Clutch Hydraulic Fluid is engineered to endure the rigors of racing, maintaining its viscosity in high-temperature situations and providing a consistently solid pedal. Including a proprietary mixture of lubricants and corrosion inhibitors, fluid is compatible with all clutches and related components. Sold in 12-oz. bottles, or in cases of 12.



Part No.	Description	Price
QTR30100	12-oz. Bottles	
QTR30100CS	1 Case of (12) 12-oz. Bottles	



Chevron-5 Nomex 2-Piece Racing Suits

Multi-layer, two-piece Nomex driving suit features a stylish European design with black trim epaulets, black side panels, and black cuffs. The 180° floating arm gussets and stretch fabric side panels add flexibility. Jackets are offered in black, red or blue; pants are offered in black only. Meet SFI 3.2A/5 specifications.

Size	Description	Price
Jackets		
Black		
Small	RQP91619029	
Medium	RQP91619039	
Large	RQP91619059	
X-Large	RQP91619069	
XX-Large	RQP91619079	
XXX-Large	RQP91619089	
Red		
Small	RQP91619129	
Medium	RQP91619139	
Large	RQP91619159	
X-Large	RQP91619169	
XX-Large	RQP91619179	
Blue		
Small	RQP91619229	
Medium	RQP91619239	
Large	RQP91619259	
X-Large	RQP91619269	
XX-Large	RQP91619279	
Pants		
Black		
Small	RQP91629029	
Medium	RQP91629039	
Large	RQP91629059	
X-Large	RQP91629069	
XX-Large	RQP91629079	
XXX-Large	RQP91629089	



NEW PRODUCTS




2-1/4" I.D. Coil-Over Springs

NEW SPRING RATES!

Each spring undergoes stringent inspection during and after manufacturing to meet stringent quality standards. Springs are dark blue powder coated and etched with the rate.

Part No.	Description	Price
HYP187A0900	7" Tall x 900-lb. Rate	
HYP188A0525	8" Tall x 525-lb. Rate	



Gun-Drilled Short Track Axles

Manufactured from high-strength alloy steel for outstanding yield and tensile strength, axles are heat treated, shot-peened, REM finished, and include CNC-hobbed splines. Gun-drilled .578" (unless noted) to reduce rotating weight.



Part No.	Length	O.D.	Price
31-Spline Axle			
SOTAGU09402850 *	28.5"	.940"	
SOTAGY10802750	27.5"	1.080"	
SOTAGY12003550	35.5"	1.200"	

* Signifies solid axle.



430 Parachute with Large Air/Pneumatic Launcher Kit STR4304804-01-05

Reliable and effective at safely decelerating drag race cars, air powered parachute launcher is an affordable safety upgrade. Kit includes Model 430 Pro Stock parachute, air launcher kit, and all required mounting equipment. **NOTE: Please refer to the chart on the Stroud web site for parachute recommendations regarding vehicle weight and speed.**





Extreme Drop Bent Steel Modified Tie Rods

Manufactured from 7/8" O.D. round, .156" wall tubing, Extreme Drop bent-tube design offers maximum frame clearance. Tubes are tipped on spindle end for improved alignment. Black powder-coated finish.



Part No.	Description	Price
OPP555-814-BL-NG *	Non-Greasable Tie Rod Tube, 14" Long, 5/8"-18 Threads	
OPP555-816-BL-M2	Greasable Outer Tie Rod End, 16" Long, 5/8"-18 LH Threads, Moly Rod Ends	

* Requires RH thread stock inner tie rod.



Mini Racer

The Mini Racer uses the same fabrics and includes many features common to the Racer 2020 adult suit, yet is geared to the youth racer. Stylish one-piece suit includes 360°, full floating arm gussets and stretch-knit back gussets for superior mobility and comfort. Meets SFI 3.2A/5 specifications.




Size	Description	Price
Black		
Small	IMP21410310	
Black/Blue		
Medium	IMP21410406	
Large	IMP21410506	
X-Large	IMP21410606	
Black/Gray		
Medium	IMP21410413	
Large	IMP21410513	
X-Large	IMP21410613	
Black/Red		
Large	IMP21410507	
X-Large	IMP21410607	



6-Point Rotary Camlock Harness IMP57359226

Restraint system includes 2" individual shoulder harness, pull-down adjust lap belts with rotary camlock mechanism, and dual anti-sub belts. Snap-in mounting. Meets SFI 16.5 specifications. Black only.



NEW PRODUCTS



Front/Angled Panhard Axle Mount HOW31183

Engineered when it is desired to mount the panhard bar at an angle off the main roll bar tube such as on newer modifieds or 101 design chassis. Mount, which clamps to 3" dia. axle tube, measures 8" from center of the axle to the center of the 3/4" heim end.



Severe Duty Screw-In Upper Ball Joint with +.500" Stud HOW22320XV

Precision Chrysler K772-style ball joint with +.500" stud includes an XD mil-spec alloy housing that has proven 300% stronger in load testing. Common to Asphalt Late Models, TA2 cars, Dirtworks, Troyer/Ford steering uppers, and Pinto upper taper. Sold each.



Precision Lower Ball Joint for 1992-01 Acura/Honda HOW22486

Ball joint fits all 1997-00 Acura EL/1994-01 Acura Integra Type R/1992-00 Honda Civic Si/1997-01 Honda CRV/1993-97 Honda del Sol. Replaces Moog K9802.



Precision Lower Ball Joint for 2002-05 Acura/Honda HOW22487

Premium quality ball joint fits all 2002-04 Acura RSX/2002-05 Honda Civic non-SI. Replaces Moog K90493.



Precision Replacement Ball Joint Studs

Part No.	Description	Price
HOW224385	+.500" Ball Joint Stud for Howe 22423	
HOW2244102	-.200" Ball Joint Stud for Howe 22412	
HOW224865	+.500" Ball Joint Stud for Howe 22486	
HOW224875	+.500" Ball Joint Stud for Howe 22487	



Precision Max Upper A-Frame 1/2" Key HOW22612

Designed for use with Howe Precision Max slot and key style upper A-frames. Sold each.





Racing Products

Bump Steer Gauge Storage Case LON52-79019

Durable, lined storage case allows eased storage and transport of new style (2014 design) Longacre bump steer gauges. Case is 22-1/2" x 20-1/2" x 4".



Sportsman Elite Gauge Panels

Completely pre-wired and ready to install, lightweight aluminum panels are fit with Sportsman Elite gauges. Engineered to offer exceptional reliability and accuracy, 2-1/2" dia. mechanical gauges utilize white dial faces with bright red pointers, and LED back lighting with built-in warning functions. Gauges automatically change lighting color in the event of a problem, quickly alerting the driver. Sold complete with necessary senders.



LON52-46913



LON52-46913 - Shown in Warning Mode

Part No.	Description	Price
LON52-46912	Oil Pressure/Water Temperature	
LON52-46913	Oil Pressure/Water Temperature/ Oil Temperature	
LON52-46914	Oil Pressure/Water Temperature/Fuel Pressure	
LON52-46915	Oil Pressure/Water Temperature/ Water Pressure	
LON52-46916	Oil Pressure/Water Temperature/ Fuel Pressure/Oil Temperature	
LON52-46917	Oil Pressure/Water Temperature/ Fuel Pressure/Water Pressure	
LON52-46918	Oil Pressure/Water Temperature/ Fuel Pressure/Oil Temperature/Water Pressure	

NEW PRODUCTS

Sportsman Elite Gauge Panels with AccuTech SMi Tachometer

Similar to the standard Sportsman Elite ready-to-install pre-wired panels but with the addition of a 4-1/2" dia., 0-10,000 RPM tachometer with two-stage, high RPM warning light. Mechanical 2-1/2" gauges include white dial faces with bright red pointers and LED back lighting that changes color automatically in the event of a problem. Sold complete with the necessary senders.



LON52-46906

Part No.	Description	Price
LON52-46906	Tachometer/Oil Pressure/Water Temperature	
LON52-46907	Tachometer/Oil Pressure/ Water Temperature/Oil Temperature	
LON52-46908	Tachometer/Oil Pressure/ Water Temperature/Fuel Pressure	
LON52-46909	Tachometer/Oil Pressure/ Water Temperature/Water Pressure	
LON52-46910	Tachometer/Oil Pressure/Water Temperature/ Fuel Pressure/Oil Temperature	
LON52-46911	Tachometer/Oil Pressure/Water Temperature/ Fuel Pressure/Water Pressure	

Sportsman Elite Gauges

Also available individually, 2-1/2" dia. mechanical gauges are accurate, reliable and affordable. Gauges include white dial faces with bright red pointers and built-in LED back lighting.



LON52-46904

Part No.	Description	Price
LON52-46900	Oil Pressure, 0-100 PSI	
LON52-46901	Fuel Pressure, 0-15 PSI	
LON52-46902	Water Temperature, 100°-280°F	
LON52-46903	Oil Temperature, 100°-320°	
LON52-46904	Water Pressure, 0-60 PSI	
LON52-46905	Voltmeter, 8-18 Volts	




2bbl. to 4bbl. Holley Carburetor Adapter WEHWM10-100

Adapter allows installing a Model 4412 Holley 500 CFM 2bbl. carburetor on an intake with a Holley 4150 4bbl. flange. Billet aluminum, 1" tall adapter features flared and swirled design for maximum horsepower.



Spring Compressor WEHWM180

Tool allows safely compressing 3" or 5" tall springs so that they may be installed without moving the coil-over adjustment nut. The floating plate includes a slot that captures the nut, eliminating the need for a wrench. An impact driver may be used to quickly compress the spring and install the shock. Compressor also includes a slot in each plate for on-car compressing to provide quick suspension adjustments, or to clamp-on a coil-over slider.



Replacement Pin for Quick-Adjust Limit Chain WEHWM269P

Positive-lock quick-release pin holds tightly in place until the button is depressed, speeding limit chain adjustment.



5" Coil-Over Kit for AFCO Shocks WEHWM308A

Constructed from lightweight aluminum and plastic, coil-over kit aligns the spring on the O.D. Kit is for use with AFCO or CSI shock absorbers, and includes a jam nut to prevent the adjuster from turning.



1-1/2" Heavy-Duty Ballast Bracket WEHWM321500

Bracket clamps to 1-1/2" round tubing and incorporates a 1/2" bolt and nylock nut to allow retention of lead ballast.



Maglock Air Kit FLLMLA-1000

Designed to easily provide positive connection to forced air helmets, Maglock Air offers an air-tight seal with 20 lbs. of magnetic force. Featuring universal helmet and air hose fitment, product is manufactured from lightweight ABS infused nylon, eliminating the need for duct tape or zip ties.



Maglock Air Helmet Side Only FLLMLA-1003

Maglock adapter for the helmet side only allows users to set up extra drivers or a spare helmet without the need to purchase the entire kit. Just like the full Maglock Air Kit, it works with most helmet applications.



Maglock Air Hose FLLMLH-1250-6

The lightest, most flexible fresh air hose currently available. Extensively tested and proven by aircraft test pilots and professional race drivers. Hose is 1-1/4" O.D. x 6' long, with a standard connector on one end and a bare end to accept a Maglock connector.



Coaxial System FLLFLCS-1000

Designed for drivers that have an existing forced air system, the Coaxial is the first fully programmable hydration system that allows users to connect both air and water utilizing the same Maglock connection. Connecting to an iOS device via Bluetooth, system delivers fluid directly to the driver in programmed doses by simply touching the Microbutton. May be connected or disconnected quickly, even under "hot extract" situations. Includes all mounting, wiring, and plumbing hardware to set up one helmet and one seat in the vehicle.



NEW PRODUCTS


Flush 360° System FLLFLSH-3600

Designed for drivers that do not employ a fresh air system or would prefer to use an independent hydration system, the Flush 360° system is programmed through an iOS device via Bluetooth and activated with the Microbutton. System installs quickly and easily on the helmet, delivering fluid directly to the driver in programmed doses. May be connected or disconnected quickly, even under critical, "hot extract" situations. Includes all mounting, wiring, and plumbing hardware to set up one helmet and one seat in the vehicle.



Fluid Containment Bottles

Designed for use with the Coaxial or Flush 360° systems, fluid containment may be mounted to a roll bar or bulkhead with the FluidLogic Hydration System plugging directly into the top. Stainless steel, double-wall vacuum-insulated container keeps drinks cold for hours on end. Offered in 32-oz. or 64-oz. capacities, container includes rigid quick-release mount to allow quick changes during pit stops.



Part No.	Description	Price
FLLFCS-320	32-Oz.	
FLLFCS-640	64-Oz.	

FluidLogic WAVE

Stainless steel, double-wall vacuum-insulated container keeps drinks cool for hours on end. Offered in 32-oz. or 64-oz. capacities, each WAVE container is sold complete with mounting bracket, fluid line, and bite valve.

Part No.	Description	Price
FLLWV-320	32-oz.	
FLLWV-640	64-oz.	



Starter Cover

ALL26236

Protective water-repellent cover for the ALL80530 Bert/Brinn-style starter helps keep out dirt and water that can cause premature damage to the starter motor. Nylon cover features an elastic band to fit tightly around starter body and a terminal window with openings for solenoid connections.



Spindle Slug Removal Tool

ALL11182

Tool works with a standard wrench or socket to easily remove spindle slugs that are pressed into fabricated spindles.



Bead Breakers

Convenient tool makes quick work of breaking down even the most stubborn tire beads. Durable steel construction with rubber hand grips. Clamp the hook and inside jaw against the rim while maintaining slight pressure on the outside handle, then press down on the inside handle, using the outer jaws to separate the tire from the rim, moving around the rim as needed.



Part No.	Size	Price
ALL44026	Bead Breaker for 10" Wheels	
ALL44027	Bead Breaker for 13" Wheels	

Universal Dragster Front Motor Plates

Universal width motor plate includes separate frame saddles for the motor plate to rest on, allowing installation of engine into any width dragster-style chassis. Saddles feature machined flats which allow the engine plate to rest directly on the saddle, securing the motor plate between the saddle and the existing frame mounting tab. Motor plate is 1/4" thick and includes saddles for chassis up to 1-3/8" in diameter.

Note: Drilling will be required to fasten saddles and motor plate to existing frame mounts once plate is positioned on frame.



Part No.	Size	Price
ALL38142	Small Block Chevy	
ALL38143	Big Block Chevy	

Battery Disconnect Switch with Removable Key

Battery disconnect features a removable key, allowing vehicle to be shut down in the event of an emergency or to secure vehicle when not in use. Disconnect is rated at 160 amps continuous duty and features two 3/8"-24 terminals for installing battery cables with ring terminals. Ideal for use in street cars as a theft deterrent.



Part No.	Size	Price
ALL80152	Switch with Decal	
ALL80153	Switch with Panel	

To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com